AUTHOR INDEX VOLUME 140

A

Aberle, H. *See* White, Aberle, and Vincent.
Abrami, L., Fivaz, M., Glauser, P.-E., Parton, R.G., and van der Goot, F.G. A pore-forming toxin interacts with a GPI-anchored protein and causes vacuolation of the endoplasmic reticulum. 525.
Adams, C.M., Anderson, M.G., Motto, D.G., Price, M.P., Johnson, W.A., and Welsh, M.J. Ripped pocket and pickpocket, novel *Drosophila* DEG/ENaC subunits expressed in early development and in mechanosensory neurons. 143.
Adams, J. *See* Jeng, McCarroll, Martin, Floor, Adams, Krantz, Butz, Edwards, and Schweitzer.
Aghajanian, J. *See* Kong, Tung, Aghajanian, and Xu.
Ahmad, F.J., Echeverri, C.J., Vallee, R.B., and Baas, P.W. Cytoplasmic dynein and dynactin are required for the transport of microtubules into the axon. 391.
Ainsztein, A.M. *See* Mackay, Ainsztein, Eckley, and Earnshaw.
Albertini, M. *See* Huhse, Rehling, Albertini, Blank, Meller, and Kunau.
Alblas, J. *See* Postma, Hengeveld, Alblas, Giepmans, Zondag, Jalink, and Moolenaar.
Alimonti, J. *See* Gabathuler, Alimonti, Zhang, Kolaitis, Reid, and Jefferies.
Allen, P.D. *See* Moore, Nguyen, Galceran, Pessah, and Allen.
— *See* Protasi, Franzini-Armstrong, and Allen.
Aloyz, R. *See* Bamji, Majdan, Pozniak, Belliveau, Aloyz, Kohn, Causing, and Miller.
Amano, M. *See* Matsui, Maeda, Doi, Yonemura, Amano, Kaibuchi, Tsukita, and Tsukita.
Anderson, M.G. *See* Adams, Anderson, Motto, Price, Johnson, and Welsh.
Appella, E. *See* Muñoz-Barroso, Durell, Sakaguchi, Appella, and Blumenthal.
Aragane, Y., Kulms, D., Metze, D., Wilkes, G., Pöppelmann, B., Luger, T.A., and Schwarz, T. Ultraviolet light induces apoptosis via direct activation of CD95 (Fas/APO-1) independently of its ligand CD95L. 171.
Arahata, K. *See* Suzuki, Sugiyama, Hayashi, Nyu-i, Yoshida, Nonaka, Ishiura, Arahata, and Ohno.
Artalejo, A.R. *See* Plattner, Artalejo, and Neher.

B

Baas, P.W. *See* Ahmad, Echeverri, Vallee, and Baas.
Bain, S.D. *See* Kyriakides, Zhu, Smith, Bain, Yang, Lin, Danielson, Iozzo, LaMarca, McKinney, Ginns, and Bornstein.
Baldini, G., Baldini, G., Wang, G., Weber, M., Zweyer, M., Bareggi, R., Witkin, J.W., and Martelli, A.M. Expression of Rab3D N135I inhibits regulated secretion of ACTH in AtT-20 cells. 305.
Bamji, S.X., Majdan, M., Pozniak, C.D., Belliveau, D.J., Aloyz, R., Kohn, J., Causing, C.G., and Miller, F.D. The p75 neurotrophin receptor mediates neuronal apoptosis and is essential for naturally occurring sympathetic neuron death. 911.
Bareggi, R. *See* Baldini, Baldini, Wang, Weber, Zweyer, Bareggi, Witkin, and Martelli.
Bartek, J. *See* Depoortere, van Keymeulen, Lukas, Costagliola, Bartkova, Dumont, Bartek, Roger, and Dremier.
Bartkova, J. *See* Depoortere, van Keymeulen, Lukas, Costagliola, Bartkova, Dumont, Bartek, Roger, and Dremier.
Basset, P. *See* Masson, Lefebvre, Noël, Fahime, Chenard, Wendling, Kebers, LeMeur, Dierich, Foidart, Basset, and Rio.
Bauer, C.C. *See* Liu, Bauer, Ortiz, Cook, Schmid, and Epstein.
Beattie, G.M. *See* Cirulli, Crisa, Beattie, Mally, Lopez, Fannon, Ptasznik, Inverardi, Ricordi, Deerinck, Ellisman, Reisfeld, and Hayek.
Bègue, B. *See* Benmerah, Lamaze, Bègue, Schmid, Dautry-Varsat, and Cerf-Bensussan.
Belliveau, D.J. *See* Bamji, Majdan, Pozniak, Belliveau, Aloyz, Kohn, Causing, and Miller.
— *See* Slack, El-Bizri, Wong, Belliveau, and Miller.
Belmont, A.S. *See* Li, Sudlow, and Belmont.
Benmerah, A., Lamaze, C., Bègue, B., Schmid, S.L., Dautry-Varsat, A., and Cerf-Bensussan, N. AP-2/Eps15 interaction is required for receptor-mediated endocytosis. 1055.
Bergeron, J.J.M. *See* Dominguez, Dejgaard, Füllekrug, Dahan, Fazel, Paccaud, Thomas, Bergeron, and Nilsson.
Bissell, M.J. *See* Hirai, Lochter, Galosy, Koshida, Niwa, and Bissell.
Blank, L. *See* Huhse, Rehling, Albertini, Blank, Meller, and Kunau.
Blobel, G. *See* Matunis, Wu, and Blobel.
— *See* Meier and Blobel.
Block, S.M. Leading the procession: New insights into kinesin motors. 1281.
Bloom, G.S., and Goldstein, L.S.B. Cruising along microtubule highways: How membranes move through the secretory pathway. 1277.
Blumenthal, R. *See* Muñoz-Barroso, Durell, Sakaguchi, Appella, and Blumenthal.
Bonzelius, F. *See* Wei, Bonzelius, Scully, Kelly, and Herman.
Bornstein, P. *See* Kyriakides, Zhu, Smith, Bain, Yang, Lin, Danielson, Iozzo, LaMarca, McKinney, Ginns, and Bornstein.
Branton, P.E. *See* Lavoie, Nguyen, Marcellus, Branton, and Shore.
Breier, G. *See* Esser, Wolburg, Wolburg, Breier, Kurzchalia, and Risau.
Brenner, M.B. *See* Higgins, Mandlebrot, Shaw, Russell, Murphy, Chen, Nelson, Parker, and Brenner.
Bright, N.A. *See* Mullock, Bright, Fearon, Gray, and Luzio.
Brodsky, F.M. *See* Liu, Marks, and Brodsky.
Broekelmann, T.J. *See* Davis, Broekelmann, Ozawa, and Mecham.
Bronk, P. *See* Chernomordik, Frolov, Leikina, Bronk, and Zimmerberg.
Brooks, P.C. *See* Klemke, Leng, Molander, Brooks, Vuori, and Cheresh.
Brown, S.S. *See* Lillie and Brown.
Brusés, J.L., and Rutishauser, U. Regulation of neural cell adhesion molecule polysialylation: Evidence for nontranscriptional control and sensitivity to an intracellular pool of calcium. 1177.
Butz, S. *See* Jeng, McCarroll, Martin, Floor, Adams, Krantz, Butz, Edwards, and Schweitzer.
Bützler, C. *See* Gabriel, Jung, Bützler, Temme, Traub, Winterhager, and Willecke.

C

Cantley, L.C. *See* Ma, Cantley, Janmey, and Kirschner.
— *See* Wang, Lin, Dyck, Yeakley, Songyang, Cantley, and Fu.
Carmeliet, P., Moons, L., Dewerchin, M., Rosenberg, S., Herbert, J.-M., Lupu, F., and Collen, D. Receptor-independent role of urokinase-type plasminogen activator in pericellular plasmin and matrix metalloproteinase proteolysis during vascular wound healing in mice. 233.
Carozzi, A.J. *See* Clark, Martin, Carozzi, Hill, and James.
Cary, L.A., Han, D.C., Polte, T.R., Hanks, S.K., and Guan, J.-L. Identification of $p130^{Cas}$ as a mediator of focal adhesion kinase–promoted cell migration. 211.
Casciola-Rosen, L.A. *See* Mancini, Nicholson, Roy, Thornberry, Peterson, Casciola-Rosen, and Rosen.
Cassels, G.O. *See* Hinchcliffe, Cassels, Rieder, and Sluder.
Catlett, N.L. *See* Wang, Catlett, and Weisman.
Causing, C.G. *See* Bamji, Majdan, Pozniak, Belliveau, Aloyz, Kohn, Causing, and Miller.
Cerf-Bensussan, N. *See* Benmerah, Lamaze, Bègue, Schmid, Dautry-Varsat, and Cerf-Bensussan.
Chen, Y.-T. *See* Higgins, Mandlebrot, Shaw, Russell, Murphy, Chen, Nelson, Parker, and Brenner.
Chenard, M.-P. *See* Masson, Lefebvre, Noël, Fahime, Chenard, Wendling, Kebers, LeMeur, Dierich, Foidart, Basset, and Rio.
Cheresh, D.A. *See* Eliceiri, Klemke, Strömblad, and Cheresh.
— *See* Klemke, Leng, Molander, Brooks, Vuori, and Cheresh.
Chernomordik, L.V., Frolov, V.A., Leikina, E., Bronk, P., and Zimmerberg, J. The pathway of membrane fusion catalyzed by influenza hemagglutinin: Restriction of lipids, hemifusion, and lipidic fusion pore formation. 1369.
Cherry, R.J., Wilson, K.M., Triantafilou, K., O'Toole, P., Morrison, I.E.G., Smith, P.R., and Fernández, N. Detection of dimers of dimers of human leukocyte antigen (HLA)–DR on the surface of living cells by single-particle fluorescence imaging. 71.

Chiang, H.-L. *See* Chiang and Chiang.
Chiang, M.-C., and Chiang, H.-L. Vid24p, a novel protein localized to the fructose-1,6-bisphosphatase–containing vesicles, regulates targeting of fructose-1,6-bisphosphatase from the vesicles to the vacuole for degradation. 1347.
Chiba, H. *See* Honda, Yamada, Endo, Ino, Gotoh, Tsuda, Yamada, Chiba, and Hirohashi.
Cirulli, V., Crisa, L., Beattie, G.M., Mally, M.I., Lopez, A.D., Fannon, A., Ptasznik, A., Inverardi, L., Ricordi, C., Deerinck, T., Ellisman, M., Reisfeld, R.A., and Hayek, A. KSA antigen Ep-CAM mediates cell–cell adhesion of pancreatic epithelial cells: Morphoregulatory roles in pancreatic islet development. 1519.
Clark, R.A., Fuhlbrigge, R.C., and Springer, T.A. L-selectin ligands that are *O*-glycoprotease resistant and distinct from MECA-79 antigen are sufficient for tethering and rolling of lymphocytes on human high endothelial venules. 721.
Clark, R.A.F. *See* Xu, Zutter, Santoro, and Clark.
Clark, S.F., Martin, S., Carozzi, A.J., Hill, M.M., and James, D.E. Intracellular localization of phosphatidylinositide 3-kinase and insulin receptor substrate-1 in adipocytes: potential involvement of a membrane skeleton. 1211.
Clees, J. *See* Geimer, Clees, Melkonian, and Lechtreck.
Cole, N.B., Ellenberg, J., Song, J., DiEuliis, D., and Lippincott-Schwartz, J. Retrograde transport of Golgi-localized proteins to the ER. 1.
Collen, D. *See* Carmeliet, Moons, Dewerchin, Rosenberg, Herbert, Lupu, and Collen.
Colomer, V. *See* Lipardi, Mora, Colomer, Paladino, Nitsch, Rodriguez-Boulan, and Zurzolo.
Cook, R.G. *See* Liu, Bauer, Ortiz, Cook, Schmid, and Epstein.
Costagliola, S. *See* Depoortere, van Keymeulen, Lukas, Costagliola, Bartkova, Dumont, Bartek, Roger, and Dremier.
Crisa, L. *See* Cirulli, Crisa, Beattie, Mally, Lopez, Fannon, Ptasznik, Inverardi, Ricordi, Deerinck, Ellisman, Reisfeld, and Hayek.
Csink, A.K. *See* Platero, Csink, Quintanilla, and Henikoff.

D

Dahan, S. *See* Dominguez, Dejgaard, Füllekrug, Dahan, Fazel, accaud, Thomas, Bergeron, and Nilsson.
— *See* Yoon, Pitts, Dahan, and McNiven.
Danielson, K.G. *See* Kyriakides, Zhu, Smith, Bain, Yang, Lin, Danielson, Iozzo, LaMarca, McKinney, Ginns, and Bornstein.
Dautry-Varsat, A. *See* Benmerah, Lamaze, Bègue, Schmid, Dautry-Varsat, and Cerf-Bensussan.
Davis, E.C., Broekelmann, T.J., Ozawa, Y., and Mecham, R.P. Identification of tropoelastin as a ligand for the 65-kD FK506-binding protein, FKBP65, in the secretory pathway. 295.
Dean, D.C. *See* Jesse, LaChance, Iademarco, and Dean.
Deerinck, T. *See* Cirulli, Crisa, Beattie, Mally, Lopez, Fannon, Ptasznik, Inverardi, Ricordi, Deerinck, Ellisman, Reisfeld, and Hayek.
Dejana, E. *See* Moll, Dejana, and Vestweber.
— *See* Navarro, Ruco, and Dejana.
Dejgaard, K. *See* Dominguez, Dejgaard, Füllekrug, Dahan, Fazel, Paccaud, Thomas, Bergeron, and Nilsson.
Depoortere, F., Van Keymeulen, A., Lukas, J., Costagliola, S., Bartkova, J., Dumont, J.E., Bartek, J., Roger, P.P., and Dremier, S. A requirement for cyclin D3–cyclin-dependent kinase (cdk)-4 assembly in the cyclic adenosine monophosphate–dependent proliferation of thyrocytes. 1427.
Dewerchin, M. *See* Carmeliet, Moons, Dewerchin, Rosenberg, Herbert, Lupu, and Collen.
Dexter, T.M. *See* Pierce, Heyworth, Nicholls, Spooncer, Dexter, Lord, Owen-Lynch, Wark, and Whetton.
Dierich, A. *See* Masson, Lefebvre, Noël, Fahime, Chenard, Wendling, Kebers, LeMeur, Dierich, Foidart, Basset, and Rio.
DiEuliis, D. *See* Cole, Ellenberg, Song, DiEuliis, and Lippincott-Schwartz.
Ding, D.-Q. *See* Tange, Horio, Shimanuki, Ding, Hiraoka, and Niwa.
Dirac-Svejstrup, B. *See* Sönnichsen, Lowe, Levine, Jämsä, Dirac-Svejstrup, and Warren.
Doi, Y. *See* Matsui, Maeda, Doi, Yonemura, Amano, Kaibuchi, Tsukita, and Tsukita.
— *See* Yonemura, Hirao, Doi, Takahashi, Kondo, Tsukita, and Tsukita.
Dominguez, M., Dejgaard, K., Füllekrug, J., Dahan, S., Fazel, A., Paccaud, J.-P., Thomas, D.Y., Bergeron, J.J.M., and Nilsson, T. gp25L/emp24/p24 protein family members of the *cis*-Golgi network bind both COP I and II coatomer. 751.
Dremier, S. *See* Depoortere, van Keymeulen, Lukas, Costagliola, Bartkova, Dumont, Bartek, Roger, and Dremier.
D'Souza-Schorey, C., van Donselaar, E., Hsu, V.W., Yang, C., Stahl, P.D., and Peters, P.J. ARF6 targets recycling vesicles to the plasma membrane: Insights from an ultrastructural investigation. 603.
Dumont, J.E. *See* Depoortere, van Keymeulen, Lukas, Costagliola, Bartkova, Dumont, Bartek, Roger, and Dremier.
Durell, S. *See* Muñoz-Barroso, Durell, Sakaguchi, Appella, and Blumenthal.
Dyck, J.A. *See* Wang, Lin, Dyck, Yeakley, Songyang, Cantley, and Fu.

E

Earnshaw, W.C. *See* Mackay, Ainsztein, Eckley, and Earnshaw.
Echeverri, C.J. *See* Ahmad, Echeverri, Vallee, and Baas.
Eckley, D.M. *See* Mackay, Ainsztein, Eckley, and Earnshaw.
Edwards, R. *See* Jeng, McCarroll, Martin, Floor, Adams, Krantz, Butz, Edwards, and Schweitzer.
Edwards, R.H. *See* Liu and Edwards.
El-Bizri, H. *See* Slack, El-Bizri, Wong, Belliveau, and Miller.
Elgersma, Y., Elgersma-Hooisma, M., Wenzel, T., McCaffery, J.M., Farquhar, M.G., and Subramani, S. A mobile PTS2 receptor for peroxisomal protein import in *Pichia pastoris*. 807.
Elgersma-Hooisma, M. *See* Elgersma, Elgersma-Hooisma, Wenzel, McCaffery, Farquhar, and Subramani.
Eliceiri, B.P., Klemke, R., Strömblad, S., and Cheresh, D.A. Integrin αvβ3 requirement for sustained mitogen-activated protein kinase activity during angiogenesis. 1255.
Ellenberg, J. *See* Cole, Ellenberg, Song, DiEuliis, and Lippincott-Schwartz.
Ellisman, M. *See* Cirulli, Crisa, Beattie, Mally, Lopez, Fannon, Ptasznik, Inverardi, Ricordi, Deerinck, Ellisman, Reisfeld, and Hayek.
Endo, R. *See* Honda, Yamada, Endo, Ino, Gotoh, Tsuda, Yamada, Chiba, and Hirohashi.
Engebrecht, J. *See* Rudge, Morris, and Engebrecht.
Enomoto-Iwamoto, M., Iwamoto, M., Mukudai, Y., Kawakami, Y., Nohno, T., Higuchi, Y., Takemoto, S., Ohuchi, H., Noji, S., and Kurisu, K. Bone morphogenetic protein signaling is required for maintenance of differentiated phenotype, control of proliferation, and hypertrophy in chondrocytes. 409.
Epstein, H.F. *See* Liu, Bauer, Ortiz, Cook, Schmid, and Epstein.
Erdman, S., Lin, L., Malczynski, M., and Snyder, M. Pheromone-regulated genes required for yeast mating differentiation. 461.
Erhardt, J. *See* Mills, Stone, Erhardt, and Pittman.
Esser, S., Wolburg, K., Wolburg, H., Breier, G., Kurzchalia, T., and Risau, W. Vascular endothelial growth factor induces endothelial fenestrations in vitro. 947.

F

Fahime, M.E. *See* Masson, Lefebvre, Noël, Fahime, Chenard, Wendling, Kebers, LeMeur, Dierich, Foidart, Basset, and Rio.
Fannon, A. *See* Cirulli, Crisa, Beattie, Mally, Lopez, Fannon, Ptasznik, Inverardi, Ricordi, Deerinck, Ellisman, Reisfeld, and Hayek.
Farquhar, M.G. *See* Elgersma, Elgersma-Hooisma, Wenzel, McCaffery, Farquhar, and Subramani.
Fasolato, C. *See* Hofer, Fasolato, and Pozzan.
Fazel, A. *See* Dominguez, Dejgaard, Füllekrug, Dahan, Fazel, Paccaud, Thomas, Bergeron, and Nilsson.
Fearon, C.W. *See* Mullock, Bright, Fearon, Gray, and Luzio.
Fehon, R.G. *See* Ward, Lamb, and Fehon.
Feng, Y. *See* Press, Feng, Hoflack, and Wandinger-Ness.
Féral, J.-P. *See* Lozano, Schatt, Marquès, Peaucellier, Fort, Féral, Geneviève, and Picard.
Fernández, N. *See* Cherry, Wilson, Triantafilou, O'Toole, Morrison, Smith, and Fernández.
Fischer, E.G. *See* Ott, Fischer, Miyagi, Mueller, and Ruf.
Fivaz, M. *See* Abrami, Fivaz, Glauser, Parton, and van der Goot.
Floor, E. *See* Jeng, McCarroll, Martin, Floor, Adams, Krantz, Butz, Edwards, and Schweitzer.
Foidart, J.-M. *See* Masson, Lefebvre, Noël, Fahime, Chenard, Wendling, Kebers, LeMeur, Dierich, Foidart, Basset, and Rio.

Foote, C.I., Zhou, L., Zhu, X., and Nicholson, B.J. The pattern of disulfide linkages in the extracellular loop regions of connexin 32 suggests a model for the docking interface of gap junctions. 1187.
Fort, P. *See* Lozano, Schatt, Marquès, Peaucellier, Fort, Féral, Geneviève, and Picard.
Fra, A.M. *See* Scheiffele, Verkade, Fra, Virta, Simons, and Ikonen.
Frank, D.J., and Roth, M.B. *ncl-1* is required for the regulation of cell size and ribosomal RNA synthesis in *Caenorhabditis elegans*. 1321.
Franzini-Armstrong, C. *See* Protasi, Franzini-Armstrong, and Allen.
Frolov, V.A. *See* Chernomordik, Frolov, Leikina, Bronk, and Zimmerberg.
Fu, X.-D. *See* Wang, Lin, Dyck, Yeakley, Songyang, Cantley, and Fu.
Fuhlbrigge, R.C. *See* Clark, Fuhlbrigge, and Springer.
Füllekrug, J. *See* Dominguez, Dejgaard, Füllekrug, Dahan, Fazel, Paccaud, Thomas, Bergeron, and Nilsson.

G

Gabathuler, R., Alimonti, J., Zhang, Q.-J., Kolaitis, G., Reid, G., and Jefferies, W.A. Surrogate antigen processing mediated by TAP-dependent antigenic peptide secretion. 17.
Gabriel, H.-D., Jung, D., Bützler, C., Temme, A., Traub, O., Winterhager, E., and Willecke, K. Transplacental uptake of glucose is decreased in embryonic lethal connexin26-deficient mice. 1453.
Galceran, J. *See* Moore, Nguyen, Galceran, Pessah, and Allen.
Galosy, S. *See* Hirai, Lochter, Galosy, Koshida, Niwa, and Bissell.
Geimer, S., Clees, J., Melkonian, M., and Lechtreck, K.-F. A novel 95-kD protein is located in a linker between cytoplasmic microtubules and basal bodies in a green flagellate and forms striated filaments in vitro. 1149.
Gekle, M. *See* Wünsch, Sanchez, Gekle, Große-Wortmann, Wiesner, and Lanzer.
Geneviève, A.-M. *See* Lozano, Schatt, Marquès, Peaucellier, Fort, Féral, Geneviève, and Picard.
Gerace, L. *See* Mahajan, Gerace, and Melchior.
Gerdes, H.-H. *See* Krömer, Glombik, Huttner, and Gerdes.
Giepmans, B.N.G. *See* Postma, Hengeveld, Alblas, Giepmans, Zondag, Jalink, and Moolenaar.
Gilboa, L., Wells, R.G., Lodish, H.F., and Henis, Y.I. Oligomeric structure of type I and type II transforming growth factor β receptors: Homodimers form in the ER and persist at the plasma membrane. 767.
Giner, A. *See* Zacchi, Stenmark, Parton, Orioli, Lim, Giner, Mellman, Zerial, and Murphy.
Ginns, E.I. *See* Kyriakides, Zhu, Smith, Bain, Yang, Lin, Danielson, Iozzo, LaMarca, McKinney, Ginns, and Bornstein.
Glauser, P.-E. *See* Abrami, Fivaz, Glauser, Parton, and van der Goot.
Glombik, M.M. *See* Krömer, Glombik, Huttner, and Gerdes.
Goldstein, L.S.B. *See* Bloom and Goldstein.
Gotoh, M. *See* Honda, Yamada, Endo, Ino, Gotoh, Tsuda, Yamada, Chiba, and Hirohashi.
Gow, A., Southwood, C.M., and Lazzarini, R.A. Disrupted proteolipid protein trafficking results in oligodendrocyte apoptosis in an animal model of Pelizaeus-Merzbacher disease. 925.
Gradin, H.M., Larsson, N., Marklund, U., and Gullberg, M. Regulation of microtubule dynamics by extracellular signals: cAMP-dependent protein kinase switches off the activity of oncoprotein 18 in intact cells. 131.
Granzier, H. *See* Trombitás, Greaser, Labeit, Jin, Kellermayer, Helmes, and Granzier.
Gray, S.R. *See* Mullock, Bright, Fearon, Gray, and Luzio.
Greaser, M. *See* Trombitás, Greaser, Labeit, Jin, Kellermayer, Helmes, and Granzier.
Große-Wortmann, L. *See* Wünsch, Sanchez, Gekle, Große-Wortmann, Wiesner, and Lanzer.
Grund, C. *See* Magin, Schröder, Leitgeb, Wanninger, Zatloukal, Grund, and Melton.
Guan, J.-L. *See* Cary, Han, Polte, Hanks, and Guan.
Gullberg, M. *See* Gradin, Larsson, Marklund, and Gullberg.

H

Han, D.C. *See* Cary, Han, Polte, Hanks, and Guan.
Hancock, W.O., and Howard, J. Processivity of the motor protein kinesin requires two heads. 1395.
Hanks, S.K. *See* Cary, Han, Polte, Hanks, and Guan.
Happe, S., and Weidman, P. Cell-free transport to distinct Golgi cisternae is compartment specific and ARF independent. 511.
Harrison, A., Olds-Clarke, P., and King, S.M. Identification of the *t* complex–encoded cytoplasmic dynein light chain Tctex1 in inner arm I1 supports the involvement of flagellar dyneins in meiotic drive. 1137.
Hayashi, Y. *See* Suzuki, Sugiyama, Hayashi, Nyu-i, Yoshida, Nonaka, Ishiura, Arahata, and Ohno.
Hayek, A. *See* Cirulli, Crisa, Beattie, Mally, Lopez, Fannon, Ptasznik, Inverardi, Ricordi, Deerinck, Ellisman, Reisfeld, and Hayek.
Helmes, M. *See* Trombitás, Greaser, Labeit, Jin, Kellermayer, Helmes, and Granzier.
Hengeveld, T. *See* Postma, Hengeveld, Alblas, Giepmans, Zondag, Jalink, and Moolenaar.
Henikoff, S. *See* Platero, Csink, Quintanilla, and Henikoff.
Henis, Y.I. *See* Gilboa, Wells, Lodish, and Henis.
Herbert, J.-M. *See* Carmeliet, Moons, Dewerchin, Rosenberg, Herbert, Lupu, and Collen.
Herman, G.A. *See* Wei, Bonzelius, Scully, Kelly, and Herman.
Heyworth, C.M. *See* Pierce, Heyworth, Nicholls, Spooncer, Dexter, Lord, Owen-Lynch, Wark, and Whetton.
Higgins, J.M.G., Mandlebrot, D.A., Shaw, S.K., Russell, G.J., Murphy, E.A., Chen, Y.-T., Nelson, W.J., Parker, C.M., and Brenner, M.B. Direct and regulated interaction of integrin $\alpha_E\beta_7$ with E-cadherin. 197.
Higuchi, Y. *See* Enomoto-Iwamoto, Iwamoto, Mukudai, Kawakami, Nohno, Higuchi, Takemoto, Ohuchi, Noji, and Kurisu.
Hill, M.M. *See* Clark, Martin, Carozzi, Hill, and James.
Hinchcliffe, E.H., Cassels, G.O., Rieder, C.L., and Sluder, G. The coordination of centrosome reproduction with nuclear events of the cell cycle in the sea urchin zygote. 1417.
Hirai, Y., Lochter, A., Galosy, S., Koshida, S., Niwa, S., and Bissell, M.J. Epimorphin functions as a key morphoregulator for mammary epithelial cells. 159.
Hirao, M. *See* Yonemura, Hirao, Doi, Takahashi, Kondo, Tsukita, and Tsukita.
Hiraoka, Y. *See* Tange, Horio, Shimanuki, Ding, Hiraoka, and Niwa.
Hirohashi, S. *See* Honda, Yamada, Endo, Ino, Gotoh, Tsuda, Yamada, Chiba, and Hirohashi.
Hirokawa, N. *See* Nakata, Terada, and Hirokawa.
Hofer, A.M., Fasolato, C., and Pozzan, T. Capacitative Ca^{2+} entry is closely linked to the filling state of internal Ca^{2+} stores: A study using simultaneous measurements of I_{CRAC} and intraluminal $[Ca^{2+}]$. 325.
Hoflack, B. *See* Press, Feng, Hoflack, and Wandinger-Ness.
Hogg, N. *See* Stewart, McDowall, and Hogg.
Honda, K., Yamada, T., Endo, R., Ino, Y., Gotoh, M., Tsuda, H., Yamada, Y., Chiba, H., and Hirohashi, S. Actinin-4, a novel actin-bundling protein associated with cell motility and cancer invasion. 1383.
Horio, T. *See* Tange, Horio, Shimanuki, Ding, Hiraoka, and Niwa.
Howard, J. *See* Hancock and Howard.
Hsu, V.W. *See* D'Souza-Schorey, van Donselaar, Hsu, Yang, Stahl, and Peters.
Hua, X.H., and Newport, J. Identification of a preinitiation step in DNA replication that is independent of origin recognition complex and cdc6, but dependent on cdk2. 271.
Huhse, B., Rehling, P., Albertini, M., Blank, L., Meller, K., and Kunau, W.-H. Pex17p of *Saccharomyces cerevisiae* is a novel peroxin and component of the peroxisomal protein translocation machinery. 49.
Huttner, W.B. *See* Krömer, Glombik, Huttner, and Gerdes.

I

Iademarco, M.F. *See* Jesse, LaChance, Iademarco, and Dean.
Ikonen, E. *See* Scheiffele, Verkade, Fra, Virta, Simons, and Ikonen.
Ino, Y. *See* Honda, Yamada, Endo, Ino, Gotoh, Tsuda, Yamada, Chiba, and Hirohashi.
Inverardi, L. *See* Cirulli, Crisa, Beattie, Mally, Lopez, Fannon, Ptasznik, Inverardi, Ricordi, Deerinck, Ellisman, Reisfeld, and Hayek.
Iozzo, R.V. *See* Kyriakides, Zhu, Smith, Bain, Yang, Lin, Danielson, Iozzo, LaMarca, McKinney, Ginns, and Bornstein.
Ishiura, S.-i. *See* Suzuki, Sugiyama, Hayashi, Nyu-i, Yoshida, Nonaka, Ishiura, Arahata, and Ohno.
Ishizaki, Y., Jacobson, M.D., and Raff, M.C. A role for caspases in lens fiber differentiation. 153.

Itoh, N. *See* Shimizu, Itoh, Utiyama, and Wahl.
Iwamoto, M. *See* Enomoto-Iwamoto, Iwamoto, Mukudai, Kawakami, Nohno, Higuchi, Takemoto, Ohuchi, Noji, and Kurisu.

J

Jackson, D.A., and Pombo, A. Replicon clusters are stable units of chromosome structure: Evidence that nuclear organization contributes to the efficient activation and propagation of S phase in human cells. 1285.
Jacobson, M.D. *See* Ishizaki, Jacobson, and Raff.
Jalink, K. *See* Postma, Hengeveld, Alblas, Giepmans, Zondag, Jalink, and Moolenaar.
James, D.E. *See* Clark, Martin, Carozzi, Hill, and James.
Jämsä, E. *See* Sönnichsen, Lowe, Levine, Jämsä, Dirac-Svejstrup, and Warren.
Janmey, P.A. *See* Ma, Cantley, Janmey, and Kirschner.
Jefferies, W.A. *See* Gabathuler, Alimonti, Zhang, Kolaitis, Reid, and Jefferies.
Jeng, C.-J., McCarroll, S.A., Martin, T.F.J., Floor, E., Adams, J., Krantz, D., Butz, S., Edwards, R., and Schweitzer, E.S. Thy-1 is a component common to multiple populations of synaptic vesicles. 685.
Jesse, T.L., LaChance, R., Iademarco, M.F., and Dean, D.C. Interferon regulatory factor-2 is a transcriptional activator in muscle where it regulates expression of vascular cell adhesion molecule-1. 1265.
Jimenez, S.A. *See* Kielty, Raghunath, Siracusa, Sherratt, Peters, Shuttleworth, and Jimenez.
Jin, J.-P. *See* Trombitás, Greaser, Labeit, Jin, Kellermayer, Helmes, and Granzier.
Johnson, W.A. *See* Adams, Anderson, Motto, Price, Johnson, and Welsh.
Jung, D. *See* Gabriel, Jung, Bützler, Temme, Traub, Winterhager, and Willecke.

K

Kaibuchi, K. *See* Matsui, Maeda, Doi, Yonemura, Amano, Kaibuchi, Tsukita, and Tsukita.
Kawakami, Y. *See* Enomoto-Iwamoto, Iwamoto, Mukudai, Kawakami, Nohno, Higuchi, Takemoto, Ohuchi, Noji, and Kurisu.
Kebers, F. *See* Masson, Lefebvre, Noël, Fahime, Chenard, Wendling, Kebers, LeMeur, Dierich, Foidart, Basset, and Rio.
Keller, P., and Simons, K. Cholesterol is required for surface transport of influenza virus hemagglutinin. 1357.
Kellermayer, M. *See* Trombitás, Greaser, Labeit, Jin, Kellermayer, Helmes, and Granzier.
Kelly, R.B. *See* Wei, Bonzelius, Scully, Kelly, and Herman.
Kerrebrock, A.W. *See* Moore, Page, Tang, Kerrebrock, and Orr-Weaver.
Kielian, M. *See* Vashishtha, Phalen, Marquardt, Ryu, Ng, and Kielian.
Kielty, C.M., Raghunath, M., Siracusa, L.D., Sherratt, M.J., Peters, R., Shuttleworth, C.A., and Jimenez, S.A. The *Tight skin* mouse: Demonstration of mutant fibrillin-1 production and assembly into abnormal microfibrils. 1159.
King, S.M. *See* Harrison, Olds-Clarke, and King.
Kirschner, M.W. *See* Ma, Cantley, Janmey, and Kirschner.
Klemke, R. *See* Eliceiri, Klemke, Strömblad, and Cheresh.
Klemke, R.L., Leng, J., Molander, R., Brooks, P.C., Vuori, K., and Cheresh, D.A. CAS/Crk coupling serves as a "molecular switch" for induction of cell migration. 961.
Kohn, J. *See* Bamji, Majdan, Pozniak, Belliveau, Aloyz, Kohn, Causing, and Miller.
Kolaitis, G. *See* Gabathuler, Alimonti, Zhang, Kolaitis, Reid, and Jefferies.
Kondo, T. *See* Yonemura, Hirao, Doi, Takahashi, Kondo, Tsukita, and Tsukita.
Kong, J., Tung, V.W.-Y., Aghajanian, J., and Xu, Z. Antagonistic roles of neurofilament subunits NF-H and NF-M against NF-L in shaping dendritic arborization in spinal motor neurons. 1167.
Koshida, S. *See* Hirai, Lochter, Galosy, Koshida, Niwa, and Bissell.
Krantz, D. *See* Jeng, McCarroll, Martin, Floor, Adams, Krantz, Butz, Edwards, and Schweitzer.
Krömer, A., Glombik, M.M., Huttner, W.B., and Gerdes, H.-H. Essential role of the disulfide-bonded loop of chromogranin B for sorting to secretory granules is revealed by expression of a deletion mutant in the absence of endogenous granin synthesis. 1331.
Kulms, D. *See* Aragane, Kulms, Metze, Wilkes, Pöppelmann, Luger, and Schwarz.
Kunau, W.-H. *See* Huhse, Rehling, Albertini, Blank, Meller, and Kunau.
Kunz, D. *See* Kuznetsov, Mayboroda, Kunz, Winkler, Schubert, and Kunz.
Kunz, W.S. *See* Kuznetsov, Mayboroda, Kunz, Winkler, Schubert, and Kunz.
Kurisu, K. *See* Enomoto-Iwamoto, Iwamoto, Mukudai, Kawakami, Nohno, Higuchi, Takemoto, Ohuchi, Noji, and Kurisu.
Kurzchalia, T. *See* Esser, Wolburg, Wolburg, Breier, Kurzchalia, and Risau.
Kusumi, A. *See* Sako, Nagafuchi, Tsukita, Takeichi, and Kusumi.
Kuznetsov, A.V., Mayboroda, O., Kunz, D., Winkler, K., Schubert, W., and Kunz, W.S. Functional imaging of mitochondria in saponin-permeabilized mice muscle fibers. 1091.
Kyriakides, T.R., Zhu, Y.-H., Smith, L.T., Bain, S.D., Yang, Z., Lin, M.T., Danielson, K.G., Iozzo, R.V., LaMarca, M., McKinney, C.E., Ginns, E.I., and Bornstein, P. Mice that lack thrombospondin 2 display connective tissue abnormalities that are associated with disordered collagen fibrillogenesis, an increased vascular density, and a bleeding diathesis. 419.

L

Labeit, S. *See* Trombitás, Greaser, Labeit, Jin, Kellermayer, Helmes, and Granzier.
LaChance, R. *See* Jesse, LaChance, Iademarco, and Dean.
LaMarca, M. *See* Kyriakides, Zhu, Smith, Bain, Yang, Lin, Danielson, Iozzo, LaMarca, McKinney, Ginns, and Bornstein.
Lamaze, C. *See* Benmerah, Lamaze, Bègue, Schmid, Dautry-Varsat, and Cerf-Bensussan.
Lamb, R.S. *See* Ward, Lamb, and Fehon.
Lantz, V.A., and Miller, K.G. A class VI unconventional myosin is associated with a homologue of a microtubule-binding protein, cytoplasmic linker protein–170, in neurons and at the posterior pole of *Drosophila* embryos. 897.
Lanzer, M. *See* Wünsch, Sanchez, Gekle, Große-Wortmann, Wiesner, and Lanzer.
Larsson, N. *See* Gradin, Larsson, Marklund, and Gullberg.
Lavoie, J.N., Nguyen, M., Marcellus, R.C., Branton, P.E., and Shore, G.C. E4orf4, a novel adenovirus death factor that induces p53-independent apoptosis by a pathway that is not inhibited by zVAD-fmk. 637.
Lazzarini, R.A. *See* Gow, Southwood, and Lazzarini.
Lechtreck, K.-F. *See* Geimer, Clees, Melkonian, and Lechtreck.
Lefebvre, O. *See* Masson, Lefebvre, Noël, Fahime, Chenard, Wendling, Kebers, LeMeur, Dierich, Foidart, Basset, and Rio.
Leikina, E. *See* Chernomordik, Frolov, Leikina, Bronk, and Zimmerberg.
Leitgeb, S. *See* Magin, Schröder, Leitgeb, Wanninger, Zatloukal, Grund, and Melton.
LeMeur, M. *See* Masson, Lefebvre, Noël, Fahime, Chenard, Wendling, Kebers, LeMeur, Dierich, Foidart, Basset, and Rio.
Leng, J. *See* Klemke, Leng, Molander, Brooks, Vuori, and Cheresh.
Leopold, P.L. *See* Zha, Pierini, Leopold, Skiba, Tabas, and Maxfield.
Levine, T. *See* Sönnichsen, Lowe, Levine, Jämsä, Dirac-Svejstrup, and Warren.
Li, G., Sudlow, G., and Belmont, A.S. Interphase cell cycle dynamics of a late-replicating, heterochromatic homogeneously staining region: Precise choreography of condensation/decondensation and nuclear positioning. 975.
Li, R. *See* Lippincott and Li.
Li, Y. *See* Partikian, Ölveczky, Swaminathan, Li, and Verkman.
Lillie, S.H., and Brown, S.S. Smy1p, a kinesin-related protein that does not require microtubules. 873.
Lim, F. *See* Zacchi, Stenmark, Parton, Orioli, Lim, Giner, Mellman, Zerial, and Murphy.
Lin, C.-C. *See* Love, Lin, Short, and Ostermann.
Lin, L. *See* Erdman, Lin, Malczynski, and Snyder.
Lin, M.T. *See* Kyriakides, Zhu, Smith, Bain, Yang, Lin, Danielson, Iozzo, LaMarca, McKinney, Ginns, and Bornstein.
Lin, W. *See* Wang, Lin, Dyck, Yeakley, Songyang, Cantley, and Fu.

Lindon, C., Montarras, D., and Pinset, C. Cell cycle–regulated expression of the muscle determination factor Myf5 in proliferating myoblasts. 111.

Lipardi, C., Mora, R., Colomer, V., Paladino, S., Nitsch, L., Rodriguez-Boulan, E., and Zurzolo, C. Caveolin transfection results in caveolae formation but not apical sorting of glycosylphosphatidylinositol (GPI)-anchored proteins in epithelial cells. 617.

Lippincott, J., and Li, R. Sequential assembly of myosin II, an IQ-GAP-like protein, and filamentous actin to a ring structure involved in budding yeast cytokinesis. 355.

Lippincott-Schwartz, J. *See* Cole, Ellenberg, Song, DiEuliis, and Lippincott-Schwartz.

Liu, F., Bauer, C.C., Ortiz, I., Cook, R.G., Schmid, M.F., and Epstein, H.F. β-Filagenin, a newly identified protein coassembling with myosin and paramyosin in *Caenorhabditis elegans*. 347.

Liu, S.-H., Marks, M.S., and Brodsky, F.M. A dominant-negative clathrin mutant differentially affects trafficking of molecules with distinct sorting motifs in the class II major histocompatibility complex (MHC) pathway. 1023.

Liu, Y., and Edwards, R.H. Differential localization of vesicular acetylcholine and monoamine transporters in PC12 cells but not CHO cells [139(4):907]: Correction. 449.

Llorente, A., Rapak, A., Schmid, S.L., van Deurs, B., and Sandvig, K. Expression of mutant dynamin inhibits toxicity and transport of endocytosed ricin to the Golgi apparatus. 553.

Lochter, A. *See* Hirai, Lochter, Galosy, Koshida, Niwa, and Bissell.

Lodish, H.F. *See* Gilboa, Wells, Lodish, and Henis.

Lopez, A.D. *See* Cirulli, Crisa, Beattie, Mally, Lopez, Fannon, Ptasznik, Inverardi, Ricordi, Deerinck, Ellisman, Reisfeld, and Hayek.

Lord, J.M., and Roberts, L.M. Toxin entry: Retrograde transport through the secretory pathway. 733.

— *See* Pierce, Heyworth, Nicholls, Spooncer, Dexter, Lord, Owen-Lynch, Wark, and Whetton.

Love, H.D., Lin, C.-C., Short, C.S., and Ostermann, J. Isolation of functional Golgi-derived vesicles with a possible role in retrograde transport. 541.

Lowe, M. *See* Sönnichsen, Lowe, Levine, Jämsä, Dirac-Svejstrup, and Warren.

Lowin-Kropf, B., Shapiro, V.S., and Weiss, A. Cytoskeletal polarization of T cells is regulated by an immunoreceptor tyrosine-based activation motif–dependent mechanism. 861.

Lozano, J.-C., Schatt, P., Marquès, F., Peaucellier, G., Fort, P., Féral, J.-P., Geneviève, A.-M., and Picard, A. A presumptive developmental role for a sea urchin cyclin B splice variant. 283.

Luger, T.A. *See* Aragane, Kulms, Metze, Wilkes, Pöppelmann, Luger, and Schwarz.

Lukas, J. *See* Depoortere, van Keymeulen, Lukas, Costagliola, Bartkova, Dumont, Bartek, Roger, and Dremier.

Lupu, F. *See* Carmeliet, Moons, Dewerchin, Rosenberg, Herbert, Lupu, and Collen.

Luukela, V. *See* Rahkila, Luukela, Väänänen, and Metsikkö.

Luzio, J.P. *See* Mullock, Bright, Fearon, Gray, and Luzio.

M

Ma, L., Cantley, L.C., Janmey, P.A., and Kirschner, M.W. Corequirement of specific phosphoinositides and small GTP-binding protein Cdc42 in inducing actin assembly in *Xenopus* egg extracts. 1125.

Mackay, A.M., Ainsztein, A.M., Eckley, D.M., and Earnshaw, W.C. A dominant mutant of inner centromere protein (INCENP), a chromosomal protein, disrupts prometaphase congression and cytokinesis. 991.

Maeda, M. *See* Matsui, Maeda, Doi, Yonemura, Amano, Kaibuchi, Tsukita, and Tsukita.

Magin, T.M., Schröder, R., Leitgeb, S., Wanninger, F., Zatloukal, K., Grund, C., and Melton, D.W. Lessons from keratin 18 knockout mice: Formation of novel keratin filaments, secondary loss of keratin 7 and accumulation of liver-specific keratin 8-positive aggregates. 1441.

Mahajan, R., Gerace, L., and Melchior, F. Molecular characterization of the SUMO-1 modification of RanGAP1 and its role in nuclear envelope association. 259.

Majdan, M. *See* Bamji, Majdan, Pozniak, Belliveau, Aloyz, Kohn, Causing, and Miller.

Malczynski, M. *See* Erdman, Lin, Malczynski, and Snyder.

Mally, M.I. *See* Cirulli, Crisa, Beattie, Mally, Lopez, Fannon, Ptasznik, Inverardi, Ricordi, Deerinck, Ellisman, Reisfeld, and Hayek.

Mancini, M., Nicholson, D.W., Roy, S., Thornberry, N.A., Peterson, E.P., Casciola-Rosen, L.A., and Rosen, A. The caspase-3 precursor has a cytosolic and mitochondrial distribution: Implications for apoptotic signaling. 1485.

Mandlebrot, D.A. *See* Higgins, Mandlebrot, Shaw, Russell, Murphy, Chen, Nelson, Parker, and Brenner.

Marcellus, R.C. *See* Lavoie, Nguyen, Marcellus, Branton, and Shore.

Marklund, U. *See* Gradin, Larsson, Marklund, and Gullberg.

Marks, M.S. *See* Liu, Marks, and Brodsky.

Marquardt, M.T. *See* Vashishtha, Phalen, Marquardt, Ryu, Ng, and Kielian.

Marquès, F. *See* Lozano, Schatt, Marquès, Peaucellier, Fort, Féral, Geneviève, and Picard.

Martelli, A.M. *See* Baldini, Baldini, Wang, Weber, Zweyer, Bareggi, Witkin, and Martelli.

Martin, S. *See* Clark, Martin, Carozzi, Hill, and James.

Martin, T.F.J. *See* Jeng, McCarroll, Martin, Floor, Adams, Krantz, Butz, Edwards, and Schweitzer.

Masson, R., Lefebvre, O., Noël, A., Fahime, M.E., Chenard, M.-P., Wendling, C., Kebers, F., LeMeur, M., Dierich, A., Foidart, J.-M., Basset, P., and Rio, M.-C. In vivo evidence that the stromelysin-3 metalloproteinase contributes in a paracrine manner to epithelial cell malignancy. 1535.

Matsui, T., Maeda, M., Doi, Y., Yonemura, S., Amano, M., Kaibuchi, K., Tsukita, Sa., and Tsukita, Sh. Rho-kinase phosphorylates COOH-terminal threonines of ezrin/radixin/moesin (ERM) proteins and regulates their head-to-tail association. 647.

Matsumura, F., Ono, S., Yamakita, Y., Totsukawa, G., and Yamashiro, S. Specific localization of serine 19–phosphorylated myosin II during cell locomotion and mitosis of cultured cells. 119.

Matunis, M.J., Wu, J., and Blobel, G. SUMO-1 modification and its role in targeting the Ran GTPase-activating protein, RanGAP1, to the nuclear pore complex. 499.

Maxfield, F.R. *See* Zha, Pierini, Leopold, Skiba, Tabas, and Maxfield.

Mayboroda, O. *See* Kuznetsov, Mayboroda, Kunz, Winkler, Schubert, and Kunz.

McCaffery, J.M. *See* Elgersma, Elgersma-Hooisma, Wenzel, McCaffery, Farquhar, and Subramani.

McCarroll, S.A. *See* Jeng, McCarroll, Martin, Floor, Adams, Krantz, Butz, Edwards, and Schweitzer.

McDowall, A. *See* Stewart, McDowall, and Hogg.

McKinney, C.E. *See* Kyriakides, Zhu, Smith, Bain, Yang, Lin, Danielson, Iozzo, LaMarca, McKinney, Ginns, and Bornstein.

McNiven, M.A. *See* Yoon, Pitts, Dahan, and McNiven.

Mecham, R.P. *See* Davis, Broekelmann, Ozawa, and Mecham.

Meier, U.T., and Blobel, G. NAP57, a mammalian nucleolar protein with a putative homolog in yeast and bacteria [127(6):1505]: Correction. 447.

Melchior, F. *See* Mahajan, Gerace, and Melchior.

Melkonian, M. *See* Geimer, Clees, Melkonian, and Lechtreck.

Meller, K. *See* Huhse, Rehling, Albertini, Blank, Meller, and Kunau.

Mellman, I. *See* Zacchi, Stenmark, Parton, Orioli, Lim, Giner, Mellman, Zerial, and Murphy.

Melton, D.W. *See* Magin, Schröder, Leitgeb, Wanninger, Zatloukal, Grund, and Melton.

Metsikkö, K. *See* Rahkila, Luukela, Väänänen, and Metsikkö.

Metze, D. *See* Aragane, Kulms, Metze, Wilkes, Pöppelmann, Luger, and Schwarz.

Meyer, T. *See* Oancea, Teruel, Quest, and Meyer.

Miller, F.D. *See* Bamji, Majdan, Pozniak, Belliveau, Aloyz, Kohn, Causing, and Miller.

— *See* Slack, El-Bizri, Wong, Belliveau, and Miller.

Miller, K.G. *See* Lantz and Miller.

Miller, R.K., and Rose, M.D. Kar9p is a novel cortical protein required for cytoplasmic microtubule orientation in yeast. 377.

Mills, J.C., Stone, N.L., Erhardt, J., and Pittman, R.N. Apoptotic membrane blebbing is regulated by myosin light chain phosphorylation. 627.

Miyagi, Y. *See* Ott, Fischer, Miyagi, Mueller, and Ruf.

Molander, R. *See* Klemke, Leng, Molander, Brooks, Vuori, and Cheresh.

Moll, T., Dejana, E., and Vestweber, D. In vitro degradation of endothelial catenins by a neutrophil protease. 403.

Montarras, D. *See* Lindon, Montarras, and Pinset.

Moolenaar, W.H. *See* Postma, Hengeveld, Alblas, Giepmans, Zondag, Jalink, and Moolenaar.

Moons, L. *See* Carmeliet, Moons, Dewerchin, Rosenberg, Herbert, Lupu, and Collen.

Moore, D.P., Page, A.W., Tang, T.T.-L., Kerrebrock, A.W., and Orr-Weaver, T.L. The cohesion protein MEI-S332 localizes to condensed meiotic and mitotic centromeres until sister chromatids separate. 1003.
Moore, R.A., Nguyen, H., Galceran, J., Pessah, I.N., and Allen, P.D. A transgenic myogenic cell line lacking ryanodine receptor protein for homologous expression studies: Reconstitution of Ry_1R protein and function. 843.
Mora, R. *See* Lipardi, Mora, Colomer, Paladino, Nitsch, Rodriguez-Boulan, and Zurzolo.
Morris, A.J. *See* Rudge, Morris, and Engebrecht.
Morrison, I.E.G. *See* Cherry, Wilson, Triantafilou, O'Toole, Morrison, Smith, and Fernández.
Motto, D.G. *See* Adams, Anderson, Motto, Price, Johnson, and Welsh.
Mueller, B.M. *See* Ott, Fischer, Miyagi, Mueller, and Ruf.
Mukudai, Y. *See* Enomoto-Iwamoto, Iwamoto, Mukudai, Kawakami, Nohno, Higuchi, Takemoto, Ohuchi, Noji, and Kurisu.
Mullock, B.M., Bright, N.A., Fearon, C.W., Gray, S.R., and Luzio, J.P. Fusion of lysosomes with late endosomes produces a hybrid organelle of intermediate density and is NSF dependent. 591.
Muñoz-Barroso, I., Durell, S., Sakaguchi, K., Appella, E., and Blumenthal, R. Dilation of the human immunodeficiency virus–1 envelope glycoprotein fusion pore revealed by the inhibitory action of a synthetic peptide from gp41. 315.
Murphy, C. *See* Zacchi, Stenmark, Parton, Orioli, Lim, Giner, Mellman, Zerial, and Murphy.
Murphy, E.A. *See* Higgins, Mandlebrot, Shaw, Russell, Murphy, Chen, Nelson, Parker, and Brenner.

N

Nagafuchi, A. *See* Sako, Nagafuchi, Tsukita, Takeichi, and Kusumi.
Nakata, T., Terada, S., and Hirokawa, N. Visualization of the dynamics of synaptic vesicle and plasma membrane proteins in living axons. 659.
Navarro, P., Ruco, L., and Dejana, E. Differential localization of VE- and N-cadherins in human endothelial cells: VE-cadherin competes with N-cadherin for junctional localization. 1475.
Neher, E. *See* Plattner, Artalejo, and Neher.
Neiman, A.M. Prospore membrane formation defines a developmentally regulated branch of the secretory pathway in yeast. 29.
Nelson, W.J. *See* Higgins, Mandlebrot, Shaw, Russell, Murphy, Chen, Nelson, Parker, and Brenner.
Newport, J. *See* Hua and Newport.
Ng, A.C. *See* Vashishtha, Phalen, Marquardt, Ryu, Ng, and Kielian.
Nguyen, H. *See* Moore, Nguyen, Galceran, Pessah, and Allen.
Nguyen, M. *See* Lavoie, Nguyen, Marcellus, Branton, and Shore.
Nicholls, S.E. *See* Pierce, Heyworth, Nicholls, Spooncer, Dexter, Lord, Owen-Lynch, Wark, and Whetton.
Nichols, B.J. *See* Ungermann, Nichols, Pelham, and Wickner.
Nicholson, B.J. *See* Foote, Zhou, Zhu, and Nicholson.
Nicholson, D.W. *See* Mancini, Nicholson, Roy, Thornberry, Peterson, Casciola-Rosen, and Rosen.
Nilsson, T. *See* Dominguez, Dejgaard, Füllekrug, Dahan, Fazel, Paccaud, Thomas, Bergeron, and Nilsson.
Nitsch, L. *See* Lipardi, Mora, Colomer, Paladino, Nitsch, Rodriguez-Boulan, and Zurzolo.
Niwa, O. *See* Tange, Horio, Shimanuki, Ding, Hiraoka, and Niwa.
Niwa, S. *See* Hirai, Lochter, Galosy, Koshida, Niwa, and Bissell.
Nocks, A. *See* Skelton, Zeng, Nocks, and Stamenkovic.
Noël, A. *See* Masson, Lefebvre, Noël, Fahime, Chenard, Wendling, Kebers, LeMeur, Dierich, Foidart, Basset, and Rio.
Nohno, T. *See* Enomoto-Iwamoto, Iwamoto, Mukudai, Kawakami, Nohno, Higuchi, Takemoto, Ohuchi, Noji, and Kurisu.
Noji, S. *See* Enomoto-Iwamoto, Iwamoto, Mukudai, Kawakami, Nohno, Higuchi, Takemoto, Ohuchi, Noji, and Kurisu.
Nonaka, I. *See* Suzuki, Sugiyama, Hayashi, Nyu-i, Yoshida, Nonaka, Ishiura, Arahata, and Ohno.
Nyu-i, N. *See* Suzuki, Sugiyama, Hayashi, Nyu-i, Yoshida, Nonaka, Ishiura, Arahata, and Ohno.

O

Oancea, E., Teruel, M.N., Quest, A.F.G., and Meyer, T. Green fluorescent protein (GFP)-tagged cysteine-rich domains from protein kinase C as fluorescent indicators for diacylglycerol signaling in living cells. 485.
O'Farrell, P.H. *See* Su and O'Farrell.
Ohno, S. *See* Suzuki, Sugiyama, Hayashi, Nyu-i, Yoshida, Nonaka, Ishiura, Arahata, and Ohno.
Ohuchi, H. *See* Enomoto-Iwamoto, Iwamoto, Mukudai, Kawakami, Nohno, Higuchi, Takemoto, Ohuchi, Noji, and Kurisu.
Olds-Clarke, P. *See* Harrison, Olds-Clarke, and King.
Ölveczky, B. *See* Partikian, Ölveczky, Swaminathan, Li, and Verkman.
Ono, S. *See* Matsumura, Ono, Yamakita, Totsukawa, and Yamashiro.
Orioli, D. *See* Zacchi, Stenmark, Parton, Orioli, Lim, Giner, Mellman, Zerial, and Murphy.
Orr-Weaver, T.L. *See* Moore, Page, Tang, Kerrebrock, and Orr-Weaver.
Ortiz, I. *See* Liu, Bauer, Ortiz, Cook, Schmid, and Epstein.
Ostermann, J. *See* Love, Lin, Short, and Ostermann.
O'Toole, P. *See* Cherry, Wilson, Triantafilou, O'Toole, Morrison, Smith, and Fernández.
Ott, I., Fischer, E.G., Miyagi, Y., Mueller, B.M., and Ruf, W. A role for tissue factor in cell adhesion and migration mediated by interaction with actin-binding protein 280. 1241.
Owen-Lynch, P.J. *See* Pierce, Heyworth, Nicholls, Spooncer, Dexter, Lord, Owen-Lynch, Wark, and Whetton.
Ozawa, Y. *See* Davis, Broekelmann, Ozawa, and Mecham.

P

Paccaud, J.-P. *See* Dominguez, Dejgaard, Füllekrug, Dahan, Fazel, Paccaud, Thomas, Bergeron, and Nilsson.
Page, A.W. *See* Moore, Page, Tang, Kerrebrock, and Orr-Weaver.
Paladino, S. *See* Lipardi, Mora, Colomer, Paladino, Nitsch, Rodriguez-Boulan, and Zurzolo.
Parker, C.M. *See* Higgins, Mandlebrot, Shaw, Russell, Murphy, Chen, Nelson, Parker, and Brenner.
Partikian, A., Ölveczky, B., Swaminathan, R., Li, Y., and Verkman, A.S. Rapid diffusion of green fluorescent protein in the mitochondrial matrix. 821.
Parton, R.G. *See* Abrami, Fivaz, Glauser, Parton, and van der Goot.
— *See* Zacchi, Stenmark, Parton, Orioli, Lim, Giner, Mellman, Zerial, and Murphy.
Peaucellier, G. *See* Lozano, Schatt, Marquès, Peaucellier, Fort, Féral, Geneviève, and Picard.
Pelham, H.R.B. *See* Ungermann, Nichols, Pelham, and Wickner.
Pessah, I.N. *See* Moore, Nguyen, Galceran, Pessah, and Allen.
Peters, P.J. *See* D'Souza-Schorey, van Donselaar, Hsu, Yang, Stahl, and Peters.
Peters, R. *See* Kielty, Raghunath, Siracusa, Sherratt, Peters, Shuttleworth, and Jimenez.
Peterson, E.P. *See* Mancini, Nicholson, Roy, Thornberry, Peterson, Casciola-Rosen, and Rosen.
Phalen, T. *See* Vashishtha, Phalen, Marquardt, Ryu, Ng, and Kielian.
Picard, A. *See* Lozano, Schatt, Marquès, Peaucellier, Fort, Féral, Geneviève, and Picard.
Pierce, A., Heyworth, C.M., Nicholls, S.E., Spooncer, E., Dexter, T.M., Lord, J.M., Owen-Lynch, P.J., Wark, G., and Whetton, A.D. An activated protein kinase C α gives a differentiation signal for hematopoietic progenitor cells and mimicks macrophage colony-stimulating factor–stimulated signaling events. 1511.
Pierce, D.W. *See* Romberg, Pierce, and Vale.
Pierini, L.M. *See* Zha, Pierini, Leopold, Skiba, Tabas, and Maxfield.
Pinset, C. *See* Lindon, Montarras, and Pinset.
Pittman, R.N. *See* Mills, Stone, Erhardt, and Pittman.
Pitts, K.R. *See* Yoon, Pitts, Dahan, and McNiven.
Platero, J.S., Csink, A.K., Quintanilla, A., and Henikoff, S. Changes in chromosomal localization of heterochromatin-binding proteins during the cell cycle in *Drosophila*. 1297.
Plattner, H., Artalejo, A.R., and Neher, E. Ultrastructural organization of bovine chromaffin cell cortex—analysis by cryofixation and morphometry of aspects pertinent to exocytosis [139(7): 1709]: Correction. 973.
Polte, T.R. *See* Cary, Han, Polte, Hanks, and Guan.
Pombo, A. *See* Jackson and Pombo.
Pöppelmann, B. *See* Aragane, Kulms, Metze, Wilkes, Pöppelmann, Luger, and Schwarz.
Postma, F.R., Hengeveld, T., Alblas, J., Giepmans, B.N.G., Zondag, G.C.M., Jalink, K., and Moolenaar, W.H. Acute loss of cell–cell communication caused by G protein–coupled receptors: A critical role for c-Src. 1199.
Pozniak, C.D. *See* Bamji, Majdan, Pozniak, Belliveau, Aloyz, Kohn, Causing, and Miller.
Pozzan, T. *See* Hofer, Fasolato, and Pozzan.

Press, B., Feng, Y., Hoflack, B., and Wandinger-Ness, A. Mutant rab7 causes the accumulation of cathepsin D and cation-independent mannose 6–phosphate receptor in an early endocytic compartment. 1075.
Price, M.P. *See* Adams, Anderson, Motto, Price, Johnson, and Welsh.
Protasi, F., Franzini-Armstrong, C., and Allen, P.D. Role of ryanodine receptors in the assembly of calcium release units in skeletal muscle. 831.
Ptasznik, A. *See* Cirulli, Crisa, Beattie, Mally, Lopez, Fannon, Ptasznik, Inverardi, Ricordi, Deerinck, Ellisman, Reisfeld, and Hayek.

Q

Quest, A.F.G. *See* Oancea, Teruel, Quest, and Meyer.
Quintanilla, A. *See* Platero, Csink, Quintanilla, and Henikoff.

R

Raff, M.C. *See* Ishizaki, Jacobson, and Raff.
Raghunath, M. *See* Kielty, Raghunath, Siracusa, Sherratt, Peters, Shuttleworth, and Jimenez.
Rahkila, P., Luukela, V., Väänänen, K., and Metsikkö, K. Differential targeting of vesicular stomatitis virus G protein and influenza virus hemagglutinin appears during myogenesis of L6 muscle cells. 1101.
Rapak, A. *See* Llorente, Rapak, Schmid, van Deurs, and Sandvig.
Rehling, P. *See* Huhse, Rehling, Albertini, Blank, Meller, and Kunau.
Reid, G. *See* Gabathuler, Alimonti, Zhang, Kolaitis, Reid, and Jefferies.
Reisfeld, R.A. *See* Cirulli, Crisa, Beattie, Mally, Lopez, Fannon, Ptasznik, Inverardi, Ricordi, Deerinck, Ellisman, Reisfeld, and Hayek.
Ricordi, C. *See* Cirulli, Crisa, Beattie, Mally, Lopez, Fannon, Ptasznik, Inverardi, Ricordi, Deerinck, Ellisman, Reisfeld, and Hayek.
Rieder, C.L. *See* Hinchcliffe, Cassels, Rieder, and Sluder.
Rio, M.-C. *See* Masson, Lefebvre, Noël, Fahime, Chenard, Wendling, Kebers, LeMeur, Dierich, Foidart, Basset, and Rio.
Risau, W. *See* Esser, Wolburg, Wolburg, Breier, Kurzchalia, and Risau.
Roberts, L.M. *See* Lord and Roberts.
Roberts, T.M., Salmon, E.D., and Stewart, M. Hydrostatic pressure shows that lamellipodial motility in *Ascaris* sperm requires membrane-associated major sperm protein filament nucleation and elongation. 367.
Rochaix, J.-D. *See* Zerges and Rochaix.
Rodriguez-Boulan, E. *See* Lipardi, Mora, Colomer, Paladino, Nitsch, Rodriguez-Boulan, and Zurzolo.
Roger, P.P. *See* Depoortere, van Keymeulen, Lukas, Costagliola, Bartkova, Dumont, Bartek, Roger, and Dremier.
Romberg, L., Pierce, D.W., and Vale, R.D. Role of the kinesin neck region in processive microtubule-based motility. 1407.
Rose, M.D. *See* Miller and Rose.
Rosen, A. *See* Mancini, Nicholson, Roy, Thornberry, Peterson, Casciola-Rosen, and Rosen.
Rosenberg, S. *See* Carmeliet, Moons, Dewerchin, Rosenberg, Herbert, Lupu, and Collen.
Roth, M.B. *See* Frank and Roth.
Roy, S. *See* Mancini, Nicholson, Roy, Thornberry, Peterson, Casciola-Rosen, and Rosen.
Ruco, L. *See* Navarro, Ruco, and Dejana.
Rudge, S.A., Morris, A.J., and Engebrecht, J. Relocalization of phospholipase D activity mediates membrane formation during meiosis. 81.
Ruf, W. *See* Ott, Fischer, Miyagi, Mueller, and Ruf.
Russell, G.J. *See* Higgins, Mandlebrot, Shaw, Russell, Murphy, Chen, Nelson, Parker, and Brenner.
Rutishauser, U. *See* Brusés and Rutishauser.
Ryu, J.S. *See* Vashishtha, Phalen, Marquardt, Ryu, Ng, and Kielian.

S

Sakaguchi, K. *See* Muñoz-Barroso, Durell, Sakaguchi, Appella, and Blumenthal.
Sako, Y., Nagafuchi, A., Tsukita, Sh., Takeichi, M., and Kusumi, A. Cytoplasmic regulation of the movement of E-cadherin on the free cell surface as studied by optical tweezers and single particle tracking: Corralling and tethering by the membrane skeleton. 1227.
Salmon, E.D. *See* Roberts, Salmon, and Stewart.
Sanchez, C.P. *See* Wünsch, Sanchez, Gekle, Große-Wortmann, Wiesner, and Lanzer.
Sandvig, K. *See* Llorente, Rapak, Schmid, van Deurs, and Sandvig.
Santoro, S.A. *See* Xu, Zutter, Santoro, and Clark.
Schatt, P. *See* Lozano, Schatt, Marquès, Peaucellier, Fort, Féral, Geneviève, and Picard.
Scheiffele, P., Verkade, P., Fra, A.M., Virta, H., Simons, K., and Ikonen, E. Caveolin-1 and -2 in the exocytic pathway of MDCK cells. 795.
Schmid, M.F. *See* Liu, Bauer, Ortiz, Cook, Schmid, and Epstein.
Schmid, S.L. *See* Benmerah, Lamaze, Bègue, Schmid, Dautry-Varsat, and Cerf-Bensussan.
— *See* Llorente, Rapak, Schmid, van Deurs, and Sandvig.
Schröder, R. *See* Magin, Schröder, Leitgeb, Wanninger, Zatloukal, Grund, and Melton.
Schubert, W. *See* Kuznetsov, Mayboroda, Kunz, Winkler, Schubert, and Kunz.
Schwarz, T. *See* Aragane, Kulms, Metze, Wilkes, Pöppelmann, Luger, and Schwarz.
Schweitzer, E.S. *See* Jeng, McCarroll, Martin, Floor, Adams, Krantz, Butz, Edwards, and Schweitzer.
Scully, R.M. *See* Wei, Bonzelius, Scully, Kelly, and Herman.
Shapiro, V.S. *See* Lowin-Kropf, Shapiro, and Weiss.
Shaw, S.K. *See* Higgins, Mandlebrot, Shaw, Russell, Murphy, Chen, Nelson, Parker, and Brenner.
Sherratt, M.J. *See* Kielty, Raghunath, Siracusa, Sherratt, Peters, Shuttleworth, and Jimenez.
Shimanuki, M. *See* Tange, Horio, Shimanuki, Ding, Hiraoka, and Niwa.
Shimizu, N., Itoh, N., Utiyama, H., and Wahl, G.M. Selective entrapment of extrachromosomally amplified DNA by nuclear budding and micronucleation during S phase. 1307.
Shore, G.C. *See* Lavoie, Nguyen, Marcellus, Branton, and Shore.
Short, C.S. *See* Love, Lin, Short, and Ostermann.
Shuttleworth, C.A. *See* Kielty, Raghunath, Siracusa, Sherratt, Peters, Shuttleworth, and Jimenez.
Simons, K. *See* Keller and Simons.
— *See* Scheiffele, Verkade, Fra, Virta, Simons, and Ikonen.
Siracusa, L.D. *See* Kielty, Raghunath, Siracusa, Sherratt, Peters, Shuttleworth, and Jimenez.
Skelton, T.P., Zeng, C., Nocks, A., and Stamenkovic, I. Glycosylation provides both stimulatory and inhibitory effects on cell surface and soluble CD44 binding to hyaluronan. 431.
Skiba, P.J. *See* Zha, Pierini, Leopold, Skiba, Tabas, and Maxfield.
Slack, R.S., El-Bizri, H., Wong, J., Belliveau, D.J., and Miller, F.D. A critical temporal requirement for the retinoblastoma protein family during neuronal determination. 1497.
Slater, C.R. *See* Wood and Slater.
Sluder, G. *See* Hinchcliffe, Cassels, Rieder, and Sluder.
Smith, L.T. *See* Kyriakides, Zhu, Smith, Bain, Yang, Lin, Danielson, Iozzo, LaMarca, McKinney, Ginns, and Bornstein.
Smith, P.R. *See* Cherry, Wilson, Triantafilou, O'Toole, Morrison, Smith, and Fernández.
Snyder, M. *See* Erdman, Lin, Malczynski, and Snyder.
Song, J. *See* Cole, Ellenberg, Song, DiEuliis, and Lippincott-Schwartz.
Songyang, Z. *See* Wang, Lin, Dyck, Yeakley, Songyang, Cantley, and Fu.
Sönnichsen, B., Lowe, M., Levine, T., Jämsä, E., Dirac-Svejstrup, B., and Warren, G. A role for giantin in docking COPI vesicles to Golgi membranes. 1013.
Southwood, C.M. *See* Gow, Southwood, and Lazzarini.
Späth, G.F., and Weiss, M.C. Hepatocyte nuclear factor 4 provokes expression of epithelial marker genes, acting as a morphogen in dedifferentiated hepatoma cells. 935.
Spira, M.E. *See* Ziv and Spira.
Spooncer, E. *See* Pierce, Heyworth, Nicholls, Spooncer, Dexter, Lord, Owen-Lynch, Wark, and Whetton.
Springer, T.A. *See* Clark, Fuhlbrigge, and Springer.
Stahl, P.D. *See* D'Souza-Schorey, van Donselaar, Hsu, Yang, Stahl, and Peters.
Stamenkovic, I. *See* Skelton, Zeng, Nocks, and Stamenkovic.
Stenmark, H. *See* Zacchi, Stenmark, Parton, Orioli, Lim, Giner, Mellman, Zerial, and Murphy.
Stevens, T.H. *See* Voos and Stevens.
Stewart, M. *See* Roberts, Salmon, and Stewart.
Stewart, M.P., McDowall, A., and Hogg, N. LFA-1–mediated adhesion is regulated by cytoskeletal restraint and by a Ca^{2+}-dependent protease, calpain. 699.

Stone, N.L. *See* Mills, Stone, Erhardt, and Pittman.
Strömblad, S. *See* Eliceiri, Klemke, Strömblad, and Cheresh.
Su, T.T., and O'Farrell, P.H. Chromosome association of minichromosome maintenance proteins in *Drosophila* endoreplication cycles. 451.
Subramani, S. *See* Elgersma, Elgersma-Hooisma, Wenzel, McCaffery, Farquhar, and Subramani.
Sudlow, G. *See* Li, Sudlow, and Belmont.
Sugiyama, Y. *See* Suzuki, Sugiyama, Hayashi, Nyu-i, Yoshida, Nonaka, Ishiura, Arahata, and Ohno.
Suzuki, A., Sugiyama, Y., Hayashi, Y., Nyu-i, N., Yoshida, M., Nonaka, I., Ishiura, S.-i., Arahata, K., and Ohno, S. MKBP, a novel member of the small heat shock protein family, binds and activates the myotonic dystrophy protein kinase. 1113.
Swaminathan, R. *See* Partikian, Ölveczky, Swaminathan, Li, and Verkman.

T

Tabas, I. *See* Zha, Pierini, Leopold, Skiba, Tabas, and Maxfield.
Takahashi, N. *See* Yonemura, Hirao, Doi, Takahashi, Kondo, Tsukita, and Tsukita.
Takeichi, M. *See* Sako, Nagafuchi, Tsukita, Takeichi, and Kusumi.
Takemoto, S. *See* Enomoto-Iwamoto, Iwamoto, Mukudai, Kawakami, Nohno, Higuchi, Takemoto, Ohuchi, Noji, and Kurisu.
Tang, T.T.-L. *See* Moore, Page, Tang, Kerrebrock, and Orr-Weaver.
Tange, Y., Horio, T., Shimanuki, M., Ding, D.-Q., Hiraoka, Y., and Niwa, O. A novel fission yeast gene, *thl1*$^{+}$, is required for the fusion of nuclear envelopes during karyogamy. 247.
Temme, A. *See* Gabriel, Jung, Bützler, Temme, Traub, Winterhager, and Willecke.
Terada, S. *See* Nakata, Terada, and Hirokawa.
Teruel, M.N. *See* Oancea, Teruel, Quest, and Meyer.
Thomas, D.Y. *See* Dominguez, Dejgaard, Füllekrug, Dahan, Fazel, Paccaud, Thomas, Bergeron, and Nilsson.
Thornberry, N.A. *See* Mancini, Nicholson, Roy, Thornberry, Peterson, Casciola-Rosen, and Rosen.
Totsukawa, G. *See* Matsumura, Ono, Yamakita, Totsukawa, and Yamashiro.
Traub, O. *See* Gabriel, Jung, Bützler, Temme, Traub, Winterhager, and Willecke.
Triantafilou, K. *See* Cherry, Wilson, Triantafilou, O'Toole, Morrison, Smith, and Fernández.
Trombitás, K., Greaser, M., Labeit, S., Jin, J.-P., Kellermayer, M., Helmes, M., and Granzier, H. Titin extensibility in situ: Entropic elasticity of permanently folded and permanently unfolded molecular segments. 853.
Tsuda, H. *See* Honda, Yamada, Endo, Ino, Gotoh, Tsuda, Yamada, Chiba, and Hirohashi.
Tsukita, Sa. *See* Matsui, Maeda, Doi, Yonemura, Amano, Kaibuchi, Tsukita, and Tsukita.
— *See* Yonemura, Hirao, Doi, Takahashi, Kondo, Tsukita, and Tsukita.
Tsukita, Sh. *See* Matsui, Maeda, Doi, Yonemura, Amano, Kaibuchi, Tsukita, and Tsukita.
— *See* Sako, Nagafuchi, Tsukita, Takeichi, and Kusumi.
— *See* Yonemura, Hirao, Doi, Takahashi, Kondo, Tsukita, and Tsukita.
Tung, V.W.-Y. *See* Kong, Tung, Aghajanian, and Xu.

U

Ungermann, C., Nichols, B.J., Pelham, H.R.B., and Wickner, W. A v–t-SNARE complex, the predominant form in vivo and on isolated vacuoles, is disassembled and activated for docking and fusion. 61.
Utiyama, H. *See* Shimizu, Itoh, Utiyama, and Wahl.

V

Väänänen, K. *See* Rahkila, Luukela, Väänänen, and Metsikkö.
Vale, R.D. *See* Romberg, Pierce, and Vale.
Vallee, R.B. *See* Ahmad, Echeverri, Vallee, and Baas.
van der Goot, F.G. *See* Abrami, Fivaz, Glauser, Parton, and van der Goot.
van Deurs, B. *See* Llorente, Rapak, Schmid, van Deurs, and Sandvig.
van Donselaar, E. *See* D'Souza-Schorey, van Donselaar, Hsu, Yang, Stahl, and Peters.
van Keymeulen, A. *See* Depoortere, van Keymeulen, Lukas, Costagliola, Bartkova, Dumont, Bartek, Roger, and Dremier.
Vashishtha, M., Phalen, T., Marquardt, M.T., Ryu, J.S., Ng, A.C., and Kielian, M. A single point mutation controls the cholesterol dependence of Semliki Forest virus entry and exit. 91.
Verkade, P. *See* Scheiffele, Verkade, Fra, Virta, Simons, and Ikonen.
Verkman, A.S. *See* Partikian, Ölveczky, Swaminathan, Li, and Verkman.
Vestweber, D. *See* Moll, Dejana, and Vestweber.
Vincent, J.-P. *See* White, Aberle, and Vincent.
Virta, H. *See* Scheiffele, Verkade, Fra, Virta, Simons, and Ikonen.
Voos, W., and Stevens, T.H. Retrieval of resident late-Golgi membrane proteins from the prevacuolar compartment of *Saccharomyces cerevisiae* is dependent on the function of Grcd19p. 577.
Vuori, K. *See* Klemke, Leng, Molander, Brooks, Vuori, and Cheresh.

W

Wahl, G.M. *See* Shimizu, Itoh, Utiyama, and Wahl.
Wandinger-Ness, A. *See* Press, Feng, Hoflack, and Wandinger-Ness.
Wang, G. *See* Baldini, Baldini, Wang, Weber, Zweyer, Bareggi, Witkin, and Martelli.
Wang, H.-Y., Lin, W., Dyck, J.A., Yeakley, J.M., Songyang, Z., Cantley, L.C., and Fu, X.-D. SRPK2: A differentially expressed SR protein-specific kinase involved in mediating the interaction and localization of pre-mRNA splicing factors in mammalian cells. 737.
Wang, Y.-X., Catlett, N.L., and Weisman, L.S. Vac8p, a vacuolar protein with armadillo repeats, functions in both vacuole inheritance and protein targeting from the cytoplasm to vacuole. 1063.
Wanninger, F. *See* Magin, Schröder, Leitgeb, Wanninger, Zatloukal, Grund, and Melton.
Ward, R.E., IV, Lamb, R.S., and Fehon, R.G. A conserved functional domain of *Drosophila* coracle is required for localization at the septate junction and has membrane-organizing activity. 1463.
Wark, G. *See* Pierce, Heyworth, Nicholls, Spooncer, Dexter, Lord, Owen-Lynch, Wark, and Whetton.
Warren, G. *See* Sönnichsen, Lowe, Levine, Jämsä, Dirac-Svejstrup, and Warren.
Weber, M. *See* Baldini, Baldini, Wang, Weber, Zweyer, Bareggi, Witkin, and Martelli.
Wei, M.L., Bonzelius, F., Scully, R.M., Kelly, R.B., and Herman, G.A. GLUT4 and transferrin receptor are differentially sorted along the endocytic pathway in CHO cells. 565.
Weidman, P. *See* Happe and Weidman.
Weisman, L.S. *See* Wang, Catlett, and Weisman.
Weiss, A. *See* Lowin-Kropf, Shapiro, and Weiss.
Weiss, M.C. *See* Späth and Weiss.
Wells, R.G. *See* Gilboa, Wells, Lodish, and Henis.
Welsh, M.J. *See* Adams, Anderson, Motto, Price, Johnson, and Welsh.
Wendling, C. *See* Masson, Lefebvre, Noël, Fahime, Chenard, Wendling, Kebers, LeMeur, Dierich, Foidart, Basset, and Rio.
Wenzel, T. *See* Elgersma, Elgersma-Hooisma, Wenzel, McCaffery, Farquhar, and Subramani.
Whetton, A.D. *See* Pierce, Heyworth, Nicholls, Spooncer, Dexter, Lord, Owen-Lynch, Wark, and Whetton.
White, P., Aberle, H., and Vincent, J.-P. Signaling and adhesion activities of mammalian β-catenin and plakoglobin in *Drosophila.* 183.
Wickner, W. *See* Ungermann, Nichols. Pelham, and Wickner.
Wiesner, J. *See* Wünsch, Sanchez, Gekle, Große-Wortmann, Wiesner, and Lanzer.
Wilkes, G. *See* Aragane, Kulms, Metze, Wilkes, Pöppelmann, Luger, and Schwarz.
Willecke, K. *See* Gabriel, Jung, Bützler, Temme, Traub, Winterhager, and Willecke.
Wilson, K.M. *See* Cherry, Wilson, Triantafilou, O'Toole, Morrison, Smith, and Fernández.
Winkler, K. *See* Kuznetsov, Mayboroda, Kunz, Winkler, Schubert, and Kunz.
Winterhager, E. *See* Gabriel, Jung, Bützler, Temme, Traub, Winterhager, and Willecke.
Witkin, J.W. *See* Baldini, Baldini, Wang, Weber, Zweyer, Bareggi, Witkin, and Martelli.

Wolburg, H. *See* Esser, Wolburg, Wolburg, Breier, Kurzchalia, and Risau.
Wolburg, K. *See* Esser, Wolburg, Wolburg, Breier, Kurzchalia, and Risau.
Wong, J. *See* Slack, El-Bizri, Wong, Belliveau, and Miller.
Wood, S.J., and Slater, C.R. β-Spectrin is colocalized with both voltage-gated sodium channels and ankyrin$_G$ at the adult rat neuromuscular junction. 675.
Wu, J. *See* Matunis, Wu, and Blobel.
Wünsch, S., Sanchez, C.P., Gekle, M., Große-Wortmann, L., Wiesner, J., and Lanzer, M. Differential stimulation of the Na^+/H^+ exchanger determines chloroquine uptake in *Plasmodium falciparum*. 335.

X

Xu, J., Zutter, M.M., Santoro, S.A., and Clark, R.A.F. A three-dimensional collagen lattice activates NF-κB in human fibroblasts: Role in integrin α_2 gene expression and tissue remodeling. 709.
Xu, Z. *See* Kong, Tung, Aghajanian, and Xu.

Y

Yamada, T. *See* Honda, Yamada, Endo, Ino, Gotoh, Tsuda, Yamada, Chiba, and Hirohashi.
Yamada, Y. *See* Honda, Yamada, Endo, Ino, Gotoh, Tsuda, Yamada, Chiba, and Hirohashi.
Yamakita, Y. *See* Matsumura, Ono, Yamakita, Totsukawa, and Yamashiro.
Yamashiro, S. *See* Matsumura, Ono, Yamakita, Totsukawa, and Yamashiro.
Yang, C. *See* D'Souza-Schorey, van Donselaar, Hsu, Yang, Stahl, and Peters.
Yang, Z. *See* Kyriakides, Zhu, Smith, Bain, Yang, Lin, Danielson, Iozzo, LaMarca, McKinney, Ginns, and Bornstein.
Yeakley, J.M. *See* Wang, Lin, Dyck, Yeakley, Songyang, Cantley, and Fu.
Yonemura, S., Hirao, M., Doi, Y., Takahashi, N., Kondo, T., Tsukita, Sa., and Tsukita, Sh. Ezrin/radixin/moesin (ERM) proteins bind to a positively charged amino acid cluster in the juxta-membrane cytoplasmic domain of CD44, CD43, and ICAM-2. 885.
Yonemura, S. *See* Matsui, Maeda, Doi, Yonemura, Amano, Kaibuchi, Tsukita, and Tsukita.
Yoon, Y., Pitts, K.R., Dahan, S., and McNiven, M.A. A novel dynamin-like protein associates with cytoplasmic vesicles and tubules of the endoplasmic reticulum in mammalian cells. 779.
Yoshida, M. *See* Suzuki, Sugiyama, Hayashi, Nyu-i, Yoshida, Nonaka, Ishiura, Arahata, and Ohno.

Z

Zacchi, P., Stenmark, H., Parton, R.G., Orioli, D., Lim, F., Giner, A., Mellman, I., Zerial, M., and Murphy, C. Rab17 regulates membrane trafficking through apical recycling endosomes in polarized epithelial cells. 1039.
Zatloukal, K. *See* Magin, Schröder, Leitgeb, Wanninger, Zatloukal, Grund, and Melton.
Zeng, C. *See* Skelton, Zeng, Nocks, and Stamenkovic.
Zerges, W., and Rochaix, J.-D. Low density membranes are associated with RNA-binding proteins and thylakoids in the chloroplast of *Chlamydomonas reinhardtii*. 101.
Zerial, M. *See* Zacchi, Stenmark, Parton, Orioli, Lim, Giner, Mellman, Zerial, and Murphy.
Zha, X., Pierini, L.M., Leopold, P.L., Skiba, P.J., Tabas, I., and Maxfield, F.R. Sphingomyelinase treatment induces ATP-independent endocytosis. 39.
Zhang, Q.-J. *See* Gabathuler, Alimonti, Zhang, Kolaitis, Reid, and Jefferies.
Zhou, L. *See* Foote, Zhou, Zhu, and Nicholson.
Zhu, X. *See* Foote, Zhou, Zhu, and Nicholson.
Zhu, Y.-H. *See* Kyriakides, Zhu, Smith, Bain, Yang, Lin, Danielson, Iozzo, LaMarca, McKinney, Ginns, and Bornstein.
Zimmerberg, J. *See* Chernomordik, Frolov, Leikina, Bronk, and Zimmerberg.
Ziv, N.E., and Spira, M.E. Induction of growth cone formation by transient and localized increases of intracellular proteolytic activity. 223.
Zondag, G.C.M. *See* Postma, Hengeveld, Alblas, Giepmans, Zondag, Jalink, and Moolenaar.
Zurzolo, C. *See* Lipardi, Mora, Colomer, Paladino, Nitsch, Rodriguez-Boulan, and Zurzolo.
Zutter, M.M. *See* Xu, Zutter, Santoro, and Clark.
Zweyer, M. *See* Baldini, Baldini, Wang, Weber, Zweyer, Bareggi, Witkin, and Martelli.

SUBJECT INDEX VOLUME 140

Actin
  assembly in *Xenopus* egg extracts, 1125
  filamentous, assembly to ring structure involved in cytokinesis, 355
Actin cytoskeleton
  formation of preassembled complexes associated with, 1211
  link to microtubule cytoskeleton, 897
  regulated by actinin-4, 1383
Actin filaments, Cyk1p and recruitment of, 355
Actin-binding protein 280, interaction of tissue factor cytoplasmic domain with, 1241
Actinin-4, regulates actin cytoskeleton, increases cell motility, and metastatic potential of human cancers, 1383
Adhesion, mediated by lymphocyte function–associated antigen, 699
Adipocytes, insulin-regulated signaling in, 1211
ADP-ribosylation factor 6, localization to intracellular compartment in pericentriolar region, targets recycling vesicles to plasma membrane, 603
Adrenocorticotropin, Rab3D and secretion of, 305
Aerolysin, interaction with GPI-anchored protein, effects on mammalian cells, 525
Aeromonas hydrophila, pore-forming toxin produced by, 525
Anaphase chromosomes, cohesion protein MEI-S332 delocalizes from, 1003
Angiogenesis, sustained MAP kinase activity during, 1255
Ankyrin$_G$, β-spectrin colocalizes with, 675
Antigenic peptides, transporter-dependent secretion of, 17
Antigen-presenting cells, T cell polarization induced by, 861
AP-2, interacts with Eps15 for receptor-mediated endocytosis, 1055
Apical membrane proteins, cholesterol and sorting of, 1357
Apical recycling endosome, rab17 regulates traffic through, 1039
Apical transport, role of caveolin-1 homooligomers in, 795
Apoptosis
  induced by E4orf4, p53-independent, 637
  of oligodendrocytes, 925
  p75 neurotrophin receptor and, 911
  UV-induced by direct activation of CD95, 171
Apoptotic blebbing, regulated by myosin phosphorylation, role of Rho signaling in, 627
Apoptotic signaling, caspase-3 and, 1485
ARF and Golgi transport, 511
Ascaris sperm, lamellipodial motility in, 367
AtT-20 cells, impaired adrenocorticotropin secretion in, 305
Axon, microtubule transport into the, 391
Axons (living), synaptic vesicle proteins in, plasma membrane proteins in, *trans*-Golgi network residual proteins in, 659
1B5 cell line, lacking skeletal isoform of ryanodine receptor, 843
Baby hamster kidney cells, effects of aerolysin on, 525
Basal bodies, novel protein in linker between cytoplasmic microtubules and, 1149
Blebbing (apoptotic), regulated by myosin phosphorylation, role of Rho signaling in, 627
Bone morphogenetic protein, signaling essential in chondrocytes, 409
Budding yeast, cytokinesis in, 355
Ca^{2+}, level in endoplasmic reticulum, lack of clear threshold, low rate of inactivation, 325
Ca^{2+} channels, ryanodine receptors and function of, 843
Cadherins, compete for junctional localization, function depends on other cadherins expressed, 1475
Caenorhabditis elegans
  β-filagenin coassembles with myosin and paramyosin in, 347
  regulation of cell size in, regulation of ribosome synthesis in *ncl-1*, represses ribosome synthesis and cell growth, 1321
Calcium, and regulation of polysialic acid synthesis, 1177
Calcium release units, assembly in skeletal muscle, 831
Calpain, regulates lymphocyte function–associated antigen-1 adhesion, 699
Cancer, actinin-4 and metastatic potential of, 1383
CAS/Crk coupling, induces cell migration, contributes to tumor invasiveness, 961
Caspase-3, cytosolic and mitochondrial distribution of, and apoptotic signaling, 1485
Caspases, role in lens fiber differentiation, 153
β-Catenin, signaling activities in *Drosophila*, 183
Catenin (endothelial), degradation mediated by neutrophil protease, 403
Cathepsin D, localization and targeting of, 1075
Caveolae formation, in epithelial cells, 617
Caveolin1 gene, transfected into Fischer rat thyroid cells, effect on GPI-anchored protein sorting/clustering, 617
Caveolins
  biosynthesis and transport of, in exocytic pathway of MDCK cells, heterooligomers formed in endoplasmic reticulum, heterooligomers involved in caveolar biogenesis, 795
  and sorting of GPI-anchored proteins, 617
CD43, ezrin/radixin/moesin bind to cytoplasmic domain of, 885
CD44
  ezrin/radixin/moesin bind to cytoplasmic domain of, 885
  glycosylation affects binding to hyaluronan, 431
CD95, directly stimulated by UV light, induces apoptosis independently of CD95L, 171
CD95L, CD95 pathway induces apoptosis independently of, 171
cdc6, function in early initiation, 271
Cdc42 (small GTP-binding protein), required for phosphoinositide-induced actin assembly, 1125
cdk2, and preinitiation step in DNA replication, 271
Cell adhesion
  function of thrombospondin 2 in, 419
  mediated by tissue factor, 1241
Cell cycle
  centrosome duplication and, 1417
  heterochromatin-binding proteins in, 1297
Cell growth, repressed by *ncl-1*, 1321
Cell locomotion, localization of phosphorylated myosin II during, 119
Cell migration
  focal adhesion kinase signaling in, p130^{Cas} and, 211
  function of thrombospondin 2 in, 419
  induced by CAS/Crk coupling, 961
Cell morphology, influences microtubule requirement for secretion, 1277
Cell motility, increased by actinin-4, 1383
Cell–cell adhesion, mediated by KSA antigen, 1519
Cell–cell communication, G protein–mediated loss of, 1199
Cell–cell junctions, cadherin localization at, 1475
Cellular migration, and urokinase-type plasminogen activator, 233
Centrosomes, duplication and cell cycle, 1417
Chinese hamster ovary cells, GLUT4 trafficking in, 565
Chlamydomonas, Tctex1 present in flagella of, 1137
Chlamydomonas reinhardtii, RNA-binding proteins in chloroplasts of, 101
Chloroplast, RNA-binding proteins in, thylakoids in, 101
Chloroquine, uptake in *Plasmodium falciparum*, activates Na^+/H^+ exchanger, 335
Cholesterol
  required for influenza hemagglutinin transport, and sorting of apical membrane proteins, 1357
  role in membrane fusion and virus exit, 91
Chondrocytes, bone morphogenetic protein signaling and, 409
Chromogranin B (human), sorting of, mutant form lacking disulfide bonded loop, 1331
Chromosome breakage, p53 minimizes probability of, 1307
Chromosomes
  association of minichromosome maintenance proteins with, 451
  cohesion protein MEI-S332 in, 1003
  double-minute, removal from nucleus, 1307
cis-Golgi network, gp25L/emp24/p24 proteins reside in, 751
Clathrin, hub fragments inhibit sorting in major histocompatibility complex class II pathway, 1023
Clathrin-coated vesicles, and differential sorting of class II/I chain complex and HLA-DM, 1023
Cohesion protein MEI-S332, present during embryogenesis, associates with centromeres of mitotic/meiotic chromosomes, delocalized from anaphase chromosomes, 1003
Coiled coil (kinesin neck region), not essential for processivity, and single-molecule motility, 1407
Collagen fibrillogenesis, disordered in thrombospondin 2–null mice, 419
Condensation/decondensation, during interphase of late-replicating, heterochromatic homogeneously staining region, 975
Connective tissue, abnormalities caused by lack of thrombospondin 2, 419
Connexin 32, disulfide linkages in extracellular loop regions of, 1187
Connexin43, disrupted cell–cell communication in cells expressing, 1199
Connexin docking domains, structure of, 1187

Connexin26 gap junction channels, and transfer of maternal nutrients/embryonic waste products, and embryonic development, 1453
COOH terminus, role in signaling regulation, 183
COP I and II coatomer, gp25L/emp24/p24 proteins bind both, 751
COPI vesicles, docked by giantin on vesicles, docked by GM130 on Golgi membranes, 1013
Coracle (*Drosophila*), localization at septate junction, membrane-organizing activity of, binds to cytoplasmic domain of neurexin, 1463
Cyclin B splice variant, production in oocytes and embryos, 283
Cyclin D3, essential in thyrotropin/cAMP-dependent mitogenesis, involvement in G1 phase progression, 1427
Cyclin E, promotes chromosome association of DmMCM2, 451
Cyclin-dependent kinase 4, required for thyrocyte proliferation, 1427
Cyk1p, role in recruiting actin filaments, 355
Cysteine-rich domains, as indicators for diacylglycerol signaling, 485
Cytokinesis
in budding yeast, actomyosin-based contractile ring involved in, 355
disrupted by dominant mutant of inner centromere protein, 991
Cytoplasmic linker protein–170, association with a class VI unconventional myosin, 897
Cytoplasmic microtubules
novel protein in linker between basal bodies and, 1149
oriented by Kar9p, 377
Cytoplasmic tubules, dynamin-like protein associates with, 779
Cytoplasmic vesicles, dynamin-like protein associates with, 779
Cytosol, distribution of caspase-3 in, 1485
Dendrites, modulated by neurofilament subunit composition, 1167
Dense core granules, Rab3D and distribution of, 305
Diacylglycerol, fluorescent indicators for signaling of, subcellular signaling functions of, 485
Dihydropyridine receptors, targeting to junctional regions, formation of tetrads, 831
Dipeptidyl aminopeptidase, Grd19p interacts with cytosolic domain of, 577
Disulfide bonded loop, and sorting chromogranin B to immature secretory granules, mutant chromogranin B lacking, 1331
Disulfides, linkage patterns in extracellular loop regions of connexin, 1187
DNA replication, regulation in absence of mitosis, 451
Docking, vacuolar v–t-SNARE complex and, 61
Drosophila
chromosome association of minichromosome maintenance in, 451
novel DEG/ENaC family members from, 143
signaling activities of β-catenin and plakoglobin in, 183
unconventional myosin associates with cytoplasmic linker protein at posterior pole of, 897
Drosophila melanogaster, heterochromatin-binding proteins in, 1297
Dynactin, and transport of microtubules into axon, 391
Dynamin, related protein associates with endoplasmic reticulum, 779
Dynamin (mutant), inhibits ricin toxicity and transport to Golgi, redistribution of mannose-6-phosphate receptor in cells with, affects endosome-to-Golgi transport, 553
Dynein, and transport of microtubules into axon, 391
Early initiation, origin recognition complex and cdc6 function in, 271
E-cadherin
activation mediates effects of hepatocyte nuclear factor 4, 935
cytoplasmic motional regulation of, corralling and tethering by membrane skeleton, 1227
direct interaction with integrin $\alpha_E\beta_7$, 197
Embryo (mouse), connexin26 gap junction channels and growth of, 1453
Embryogenesis
cohesion protein MEI-S332 present during, 1003
cyclin B splice variant produced in, 283
Embryonic waste, transport through placenta, 1453
Endocytic pathways
DM and DR-1 chain transport in, 1023
followed by GLUT4 in Chinese hamster ovary cells, followed by transferrin receptor in Chinese hamster ovary cells, 565
Endocytosis
receptor-mediated, AP-2/Eps15 interaction required for, 1055
sphingomyelin-induced, 39
Endoplasmic reticulum
Ca^{2+} level in, 325
dynamin-like protein associates with, 779
heterooligomeric complexes of caveolin-1 and -2 formed in, 795
retrograde transport from Golgi, 1
TGF-β type I and II receptors form homodimers in, 767
toxin-induced vacuolation of, 525
translocation of peptides into, 17
tropoelastin–FKBP65 association in, 295
Endoplasmic reticulum–Golgi transport, in the absence of microtubules, microtubule requirement for, 1277
Endosome–lysosome fusion, dependent on NEM-sensitive factor, produces hybrid organelle, mediates delivery of endocytosed ligands, and lysosome maintenance/function, 591
Endosomes
fusion with lysosomes, 591
mutant dynamin affects transport to Golgi from, 553
Endothelial cells
development of fenestrations in, 947
VE- and N-cadherin competition in, 1475
Endothelium, differential membrane targeting of cadherins in, 1475
E4orf4 (ED4 adenoviral protein), induces p53-independent apoptosis, 637
Epidermal growth factor, assists in epimorphin-dependent morphogenesis, 159
Epimorphin, as key morphogen in mammary gland, 159
Epithelial cell (malignant), stromelysin-3 promotes homing of, 1535
Epithelial cell adhesion molecule, mediates cell–cell adhesion, morphoregulatory role in pancreatic islet ontogeny, 1519
Epithelial cells
caveolae formation in, 617
pancreatic, cell–cell adhesion in, 1519
rab17 and polarized sorting in, 1039
Epithelial marker genes, hepatocyte nuclear factor 4 provokes expression of, 935
Eps15, interacts with AP-2 for receptor-mediated endocytosis, and function of plasma membrane–coated pits, 1055
Euchromatin, and GAGA factor/proliferation disruptor protein movement, 1297
Excitation–contraction coupling, relationship among triadic proteins in, 843
Extracellular matrix
CAS and Crk regulate cell migration on, 961
integrin regulation by, 709
Extracellular matrix–associated growth factors, required for stromelysin-3 paracrine function, 1535
Ezrin/radixin/moesin proteins
binding partners for, 885
phosphorylated by Rho-associated kinase, head-to-tail association regulated by Rho-associated kinase, 647
Fenestrae, induced by vascular endothelial growth factor, 947
Fibrillin-1, mutant production/assembly in *tight skin* mice, 1159
Fibroblasts, activation of NF-κB in, 709
β-Filagenin, and thick filament assembly, coassembles with myosin and paramyosin, 347
Filaments, assembly of, 367
Fischer rat thyroid cells, *caveolin1* gene transfected into, GPI-anchored protein sorting/clustering, 617
FKBP65, tropoelastin as ligand for, 295
Flagellar dyneins, involvement in meiotic drive, 1137
Focal adhesion kinase, cell migration promoted by, 211
Focal adhesion kinase/$p130^{Cas}$ complex, downstream pathways targeted by, 211
Fructose-1,6-bisphosphatase, Vid24p localizes to vesicles containing, Vid24p regulates vesicle–vacuole targeting of, 1347
Fusion
mediated by influenza hemagglutinin, 1369
vacuolar v–t-SNARE complex and, 61
Fusion pore dilation, in human immunodeficiency virus–1, mediated by gp120-gp41, 315
G1 phase progression, involvement of cyclin D3 in, 1427
G protein, and loss of cell–cell communication, 1199
GAGA factor, heterochromatic binding of, moves from high affinity sites in euchromatin, 1297
Gap junctions
model for the docking interface of, 1187
requirements for closure of, 1199
Giantin, role in docking COPI vesicles to Golgi membranes, 1013
Glucose, decreased transplacental uptake in connexin26-deficient mice, 1453
GLUT4
movement from intracellular vesicles to cell surface, 1211
trafficking in Chinese hamster ovary cells, sorted from transferrin receptor, distinct endocytic pathway followed by, 565
Glycosylation, and CD44–hyaluronan binding, 431
Golgi
mutant dynamin affects transport to, inhibition of ricin transport to, 553
retrograde transport from, 1
retrograde transport in, 541

Golgi enzymes, recycling of, transport between Golgi subcompartments, 541
Golgi membranes, COPI vesicles docked to, 1013
Golgic transport, compartment specific and ARF independent, 511
gp120-gp41, fusion pore dilation mediated by, 315
GPI-anchored proteins
caveolin and sorting of, 617
interaction of aerolysin with, 525
gp25L/emp24p/p24 proteins, reside in *cis*-Golgi network, bind COP I and COP II coatomer, 751
Grd19p, and retrieval of late-Golgi membrane proteins, localizes to prevacuolar compartment, interacts with cytosolic domain of dipeptidyl aminopeptidase, 577
Green fluorescent protein
diffusion in mitochondrial matrix, 821
and visualization of diacylglycerol signaling, 485
Growth cone, formation by proteolytic activity, 223
Growth factors, assist in epimorphin-dependent morphogenesis, 159
Hematopoietic progenitor cells, activated protein kinase C α gives differentiation signal for, 1511
Hemifusion, mediated by influenza hemagglutinin, 1369
Hepatocyte growth factor, assists in epimorphin-dependent morphogenesis, 159
Hepatocyte nuclear factor 4, provokes expression of epithelial marker genes, morphogenic activity in hepatoma cells, effects mediated by E-cadherin activation, 935
Hepatoma cells, morphogenic activity of hepatocyte nuclear factor 4 in, 935
Heterochromatic homogeneously staining region (late-replicating), interphase cell cycle dynamics of, 975
Heterochromatin-binding proteins, in cell cycle, 1297
High endothelial venules, L-selectin ligands on, lymphocyte rolling on, 721
Human immunodeficiency virus–1, fusion pore dilation, 315
Human leukocyte antigen-DR, dimers of dimers of, 71
Hyaluronan, glycosylation affects CD44 binding to, 431
I_{CRAC} (Ca^{2+} release–activated Ca^{2+} current), activation of, simultaneous measurement of intraluminal Ca^{2+} and, 325
ICAM-2, ezrin/radixin/moesin bind to cytoplasmic domain of, 885
Ig segments, entropic elasticity of, serial linking of, 853
Immunoreceptor tyrosine-based activation motif, regulates T cell polarization, 861
Influenza hemagglutinin, hemifusion and fusion mediated by, and lipidic fusion pore formation, 1369
Influenza virus hemagglutinin
cholesterol required for surface transport of, 1357
targeting during myogenesis of L6 muscle cells, 1101
Inner centromere protein, dominant mutant disrupts prometaphase congressing and cytokinesis, function in mitosis, 991
Insulin receptor substrate-1, binds to phosphatidylinositide 3-kinase, and formation of preassembled complexes associated with actin cytoskeleton, 1211
Integrin
regulation by extracellular matrix, 709
released from cytoskeletal control, 699
Integrin $\alpha_E\beta_7$, direct interaction with E-cadherin, 197
Integrin αvβ3, and sustained MAP kinase activity during angiogenesis, 1255
Intercellular junctions, cadherin localization at, 1475
Interferon regulatory factor-2, activates vascular cellular adhesion molecule-1 in muscle, 1265
Interphase cell cycle dynamics, of late-replicating, heterochromatic homogeneously staining region, 975
Intraluminal Ca^{2+}, simultaneous measurement of I_{CRAC} and, 325
kar9 mutants, nuclear migration/microtubule orientation defect in, 377
Kar9p, orients cytoplasmic microtubules, 377
Karyogamy, *tht1*$^+$ required for nuclear fusion during, 247
Keratin, novel filaments in keratin 18 knockout mice, ablation of (leads to accumulation of its single partner), 1441
Keratin 7, downregulation in keratin 18 knockout mice, 1441
Keratin 8–positive aggregates, in keratin 18 knockout mice, 1441
Keratin 18 knockout mice, distinctive liver pathology in, downregulation of keratin 7, formation of novel keratin filaments in, 1441
Kinesin
processivity requires two heads, 1395
role of neck region in microtubule-based motility, 1407
Kinesin motors, 1281
KSA antigen, function as epithelial cell adhesion molecule, and cell–cell adhesion, morphoregulatory role in pancreatic islet development, 1519
Late secretory pathway, Smy1p acts at specific step of, 873
Late-Golgi membrane proteins, Grd19p and retrieval of, 577
Lens fiber differentiation, role of caspases in, components of programmed cell death involved in, 153
Leukocytes, recruitment to sites of myogenic regeneration, 1265
Linear motors, kinesin, 1281
Lipid flux, restriction of, 1369
Lipidic fusion pore, influenza hemagglutinin and formation of, 1369
L-selectin ligands, and lymphocyte binding to high endothelial venules, resistant to *O*-glycoprotease, distinct from MECA-79 antigen, 721
Lymphocyte function–associated antigen-1, regulation of adhesion mediated by, 699
Lymphocytes, rolling on high endothelial venules, 721
Lysosome–endosome fusion, dependent on NEM-sensitive factor, produces hybrid organelle, mediates delivery of endocytosed ligands, and lysosome maintenance/function, 591
Lysosomes, fusion with late endosomes, 591
Macrophages, activated protein kinase C α causes development of, 1511
Major histocompatibility complex, interaction with T cell receptors, 71
Major histocompatibility complex class II pathway, clathrin hubs inhibit sorting in, 1023
Major sperm protein, pressure effects on cytoskeleton of, locomotion-associated polymerization of, 367
Mallory bodies, in keratin 18 knockout mice, 1441
Mammary epithelial cells, epimorphin as key morphoregulator in, 159
Mammary gland, epimorphin as key morphogen in, 159
Mannose 6–phosphate receptor (cation-independent), localization and targeting of, 1075
Maternal nutrients, transplacental uptake of, 1453
Mating cell differentiation, novel pheromone-induced genes required for, in *Saccharomyces cerevisiae*, 461
Matrix metalloproteinase, urokinase-type plasminogen activator and proteolysis of, 233
Matrix metalloproteinase inhibitors, stromelysin-3 as target for, 1535
MDCK cells, caveolins in exocytic pathway of, 795
MECA-79 antigen, L-selectin ligands distinct from, 721
Mechanosensory neurons, expression of Ripped pocket and pickpocket proteins in, 143
Meiosis, membrane formation during, 81
Meiotic chromosomes, cohesion protein MEI-S332 associates with, 1003
Meiotic drive, flagellar dyneins in, of mouse *t* haplotypes, 1137
Membrane skeleton, corralling and tethering by, 1227
Membrane trafficking, sphingolipid–cholesterol rafts in, 1357
Membranes
phospholipase D and formation of, formation during meiosis, 81
role of cholesterol in fusion of, 91
Metastasis, actinin-4 and potential for, 1383
Microfibrils, in *tight skin* mice, 1159
Micronucleation (S phase), increased by p53 inactivation, 1307
Microtubule cytoskeleton, link to actin cytoskeleton, 897
Microtubule-organizing center, reorientation in absence of Ras activation, reorientation abolished by lack of Lck, 861
Microtubules
PKA mediates dynamics of, 131
not required by Smy1p, 873
requirement for secretion, endoplasmic reticulum–Golgi transport in absence of, 1277
transport from centrosome into axon, 391
Minichromosome maintenance proteins, association with chromosomes, in *Drosophila* endocycles, 451
Mitochondria
distribution of caspase-3 in, 1485
functional imaging of, two topological subsets of, 1091
Mitochondrial matrix, diffusion of solutes within, 821
Mitogen-activated protein kinase, sustained activity during angiogenesis, 1255
Mitogenesis (thyrotropin/cAMP-dependent), cyclin D3 essential for, 1427
Mitosis
function of inner centromere protein in, 991
localization of phosphorylated myosin II during, 119
regulation of DNA replication in absence of, 451
Mitotic chromosomes, cohesion protein MEI-S332 associates with, 1003

MKBP (myotonic dystrophy protein kinase binding protein), constitutes novel stress-responsive system in muscle cells, binds and activates myotonic dystrophy protein kinase, and pathogenesis of myotonic dystrophy, 1113
Moesin, binds to cytoplasmic domains of CD43, ICAM-2, and CD44, 885
Molecular segments (permanently folded and unfolded), entropic elasticity of, serial linking of, 853
Morphogenesis, epimorphin-dependent, 159
Motility
  microtubule-based, role of kinesin neck region in, 1407
  number of single-headed molecules required for, 1395
Motor molecules, motor activity and surface density of, 1395
Muscle, interferon regulatory factor-2 activates vascular cellular adhesion molecule-1 in, 1265
Muscle cells
  L6, targeting of viral glycoproteins during myogenesis of, 1101
  MKBP constitutes novel stress-responsive system in, 1113
  targeting of viral glycoproteins during myogenesis of, 1101
Myf5, cell cycle–regulated expression of, 111
Myoblasts, cell cycle–regulated expression of Myf5, 111
Myofibers, functional imaging of mitochondria in, 1091
Myogenic cell line, lacking skeletal isoform of ryanodine receptor, 843
Myosin
  Drosophila 95F unconventional, association with cytoplasmic linker protein–170, 897
  β-filagenin coassembles with, 347
Myosin II
  assembly to ring structure involved in cytokinesis, 355
  phosphorylated, localization during cell locomotion and mitosis, 119
Myosin light chain kinase, as key regulator of apoptotic blebbing, 627
Myotonic dystrophy, protein interaction and pathogenesis of, 1113
Myotonic dystrophy protein kinase, MKBP binds and activates, and pathogenesis of myotonic dystrophy, 1113
Myotubes, differential processing/membrane transport for viral glycoproteins during formation of, 1101
Na^+/H^+ exchanger, role in chloroquine uptake, activated by chloroquine, 335
NEM-sensitive factor, lysosome–endosome fusion dependent on, 591
Nervous system, unconventional myosin associates with cytoplasmic linker protein in, 897
Neurexin, Coracle binds to cytoplasmic domain of, localization to septate junction, 1463
Neuritogenesis, induced by proteolytic activity, 223
Neurofilaments, subunit composition modulates dendrites, 1167
Neuromuscular junctions, β-spectrin colocalizes with voltage-gated sodium channels and ankyrin$_G$ at, 675
Neuronal cell adhesion molecules, polysialylation of, 1177
Neuronal determination, retinoblastoma family required for, 1497
Neurons
  p75 neurotrophin receptor and naturally occurring sympathetic death of, interactions with targets, 911
  unconventional myosin associates with cytoplasmic linker protein in, 897
Neurotransmitter, regulated release at synapse, 685
Neutrophil protease, endothelial catenin degradation mediated by, 403
NF-κB, activated by three-dimensional collagen lattice, role in integrin α_2 gene expression, role in tissue remodeling, 709
Nuclear budding (S phase), increased by p53 inactivation, 1307
Nuclear envelope
  association of RanGAP1 with, 259
  thtl$^+$ required for fusion of, 247
Nuclear events, coordination of centrosome reproduction with, 1417
Nuclear fusion, *thtl*$^+$ required for, 247
Nuclear organization, and activation/propagation of S phase, 1285
Nuclear pore complex, targeting of RanGAP1 to, 499
Nuclear positioning, during interphase of late-replicating, heterochromatic homogeneously staining region, 975
Nuclear protein import, and RanGAP1, 259
Nucleus, removal of double-minute chromosomes from, 1307
O-glycoprotease, L-selectin ligands resistant to, 721
Oligodendrocytes, apoptosis of, in Pelizaeus-Merzbacher disease, accumulation of *Plp* gene products in, 925
Oncoprotein 18, downregulated by PKA phosphorylation, and regulation of microtubule system, 131
Oocytes
  cyclin B splice variant produced in, 283
  localization of cohesion protein MEI-S332 in, 1003
Origin recognition complex, function in early initiation, 271
p24 proteins, reside in the *cis*-Golgi network, 751
p53
  apoptosis triggered independently of, 637
  minimizes probability of chromosome breakage, 1307
p75 neurotrophin receptor, mediates neuronal apoptosis, and naturally occurring sympathetic neuron death, and establishment of neuron–target interactions, 911
p115, and COPI vesicle docking to Golgi membranes, 1013
p130^{Cas}, mediates focal adhesion kinase–promoted cell migration, 211
Pancreatic islets, epithelial cell adhesion molecule and development of, 1519
Paramyosin, β-filagenin coassembles with, 347
Pelizaeus-Merzbacher disease, disrupted proteolipid protein trafficking in, oligodendrocyte apoptosis in, hypothesis for pathogenesis in, 925
Peptides, transporter-dependent secretion of, 17
Peroxisomal protein, import in *Pichia pastoris*, 807
Peroxisomal targeting signal II, import of proteins containing, Pex7p as mobile receptor to, 807
Peroxisomal targeting signal pathway, role of Pex17p in, 49
PEVK segments, entropic elasticity of, serial linking of, 853
Pex7p, and peroxisomal targeting signal II protein transport, functions as receptor, 807
Pex17p, as component of peroxisomal import machinery, 49
Pheromones, novel genes regulated by, 461
Phosphatidylinositide 3-kinase, binds to insulin receptor substrate-1, and formation of preassembled complexes associated with actin cytoskeleton, 1211
Phosphoinositides, work with Cdc42 to induce actin assembly, 1125
Phospholipase D, mediates membrane formation, 81
Pichia pastoris, peroxisomal import mutants in, 807
Pickpocket (novel *Drosophila* protein), expressed in early development and mechanosensory neurons, 143
PKA (cAMP-dependent protein kinase), regulation of microtubule dynamics, downregulates oncoprotein 18, 131
Placenta, nutrient/waste transport through, 1453
Plakoglobin, signaling activities in *Drosophila*, 183
Plasma membrane
  ADP-ribosylation factor 6 targets recycling vesicles to, 603
  basolateral, caveolar biogenesis in, 795
  oligomerization and channel formation in, 525
  sorting of GLUT4 from transferrin receptor occurs at, 565
  TGF-β type I and II receptor homodimers in, 767
  transport of newly synthesized proteins to, and synaptic vesicle precursors, 659
  UV light affects targets at, 171
Plasma membrane proteins, transport in living axons, 659
Plasma membrane–coated pits, Eps involved in function of, 1055
Plasmin, urokinase-type plasminogen activator and proteolysis of, 233
Plasmodium falciparum, chloroquine uptake in, 335
Plp gene products, accumulation in oligodendrocytes, 925
Polysialic acid, regulation of synthesis, 1177
Prevacuolar compartment, retrieval of late-Golgi membrane proteins from, Grd19p localizes to, 577
Programmed cell death, components involved in lens fiber differentiation, 153
Proliferation disruptor protein, heterochromatic binding of, moves from high affinity sites in euchromatin, 1297
Protein crowding, and solute movement, 821
Protein kinase C α (activated), causes macrophage development, gives differentiation signal for hematopoietic progenitor cells, 1511
Protein targeting (cytoplasm–vacuole), Vac8p functions in, 1063
Proteins, Golgi–endoplasmic reticulum transport of, 1
Proteolipid protein, disrupted trafficking in Pelizaeus-Merzbacher disease, 925
Proteolytic activity (intracellular), induces growth cone formation and neuritogenesis, 223
rab7, role in lysosome biogenesis, and localization/targeting of cathepsin D, and localization/targeting of cation-independent mannose 6–phosphate receptor, 1075
rab17, regulates traffic through apical recycling endosome, in polarized sorting in epithelial cells, 1039

Rab3D, and adrenocorticotropin secretion, and dense core granule distribution, 305
RanGAP1
link between SUMO-1 and, and nuclear protein import, reversible modification of, 259
and SUMO-1 modification, and targeting to nuclear pore complex, nuclear localization signal in, 499
Recycling vesicles, targeted to plasma membrane by ADP-ribosylation factor, 603
Replicon clusters, and activation/propagation of S phase, 1285
Retinoblastoma family, essential for neuronal determination, 1497
Retrograde transport
from Golgi to endoplasmic reticulum, 1
of toxins through secretory pathway, 733
Rho, as key regulator for apoptotic blebbing, 627
Rho-associated kinase, phosphorylates ezrin/radixin/moesin proteins, regulates ezrin/radixin/moesin protein head-to-tail association, 647
Ribosome synthesis, repressed by *ncl-1*, 1321
Ricin, toxicity and transport to Golgi apparatus inhibited, 553
Ripped pocket (novel *Drosophila* protein), expressed in early development and mechanosensory neurons, 143
RNA splicing, SR protein kinases and regulation of, 737
RNA-binding proteins, in *Chlamydomonas reinhardtii* chloroplasts, 101
Ryanodine receptors
and assembly of calcium release units, and formation of dihydropyridine receptor tetrads, 831
myogenic cell line lacking skeletal isoform of, and Ca^{2+} channel function, 843
S phase
activation/propagation in human cells, 1285
double-minute chromosomes removed from nucleus during, 1307
initiation of DNA replication during, 271
Saccharomyces cerevisiae
mating differentiation of, 461
Pex17p of, 49
retrieval of late-Golgi membrane proteins from, 577
spore formation in, 29
Saponin, mitochondria in myofibers permeabilized with, 1091
Sarcomere, relation of length to passive force, 853
Sea urchin (zygote), centrosome reproduction in, 1417
SEC mutations, genetic interaction between *SMY1* and, 873
Secretion, of antigenic peptides, 17
Secretory granules (immature), sorting of chromogranin B to, 1331
Secretory pathway
microtubules and, 1277
retrograde transport of toxins through, 733
tropoelastin binds FKBP65 in, 295
Semliki Forest virus, cholesterol requirement for fusion and exit, 91
Septate junction, Coracle and neurexin localization to, 1463
Serine 19, myosin II phosphorylated at, 119
sf-fibers, novel 95-kD protein as component of, 1149
Signaling, role of COOH terminus in regulation of, 183
Single-particle fluorescence imaging, and detection of dimers of dimers of human leukocyte antigen-DR, 71
Skeletal muscle
assembly of calcium release units in, 831
β-spectrin colocalizes with voltage-gated sodium channels and ankyrin$_G$ at, 675
Small heat shock proteins, novel family member, 1113
SMY1, genetic interaction between *SEC* mutations, 873
Smy1p (kinesin-related protein), does not require microtubules, acts in late secretory pathway, 873
Solutes, diffusion in mitochondrial matrix, movement unaffected by protein crowding, 821
β-Spectrin, at neuromuscular junctions, colocalizes with voltage-gated sodium channels and ankyrin$_G$, 675
Spermatozopsis similis, novel 95-kD protein in, 1149
Sphingomyelin, induces endocytosis, 39
Spinal motor neurons, dendritic arborization of, 1167
Spores, formation in yeast, 29
SR protein kinase family, novel member cloned and characterized, members uniquely regulated and targeted, contribute to RNA splicing regulation, 737
Src tyrosine kinase pathway, and inhibition of cell–cell communication, 1199
Striated filaments, novel protein as major component of, formation in vitro, 1149
Stromelysin-3, and epithelial cell malignancy, as target for matrix metalloproteinase inhibitors, paracrine function requires extracellular matrix–associated growth factors, 1535
SUMO-1 (small ubiquitin-like protein-1)
link between RanGAP1 and, modification of RanGAP1 with, 259
modification specified by a RanGAP1 domain, modification targets RanGAP1 to nuclear pore complex, 499
Synapse, regulated neurotransmitter release at, 685
Synaptic vesicle proteins, transport in living axons, 659
Synaptic vesicles, Thy-1 as component of, 685
T cell receptors
and adhesion strengthening, 699
interaction with major histocompatibility complex, 71
mediate T cell polarization, 861
T cells, polarization regulated by immunoreceptor tyrosine-based activation motif, 861
t haplotypes (mouse), flagellar dyneins involved in meiotic drive of, 1137
Tctex1, in flagellar inner arm I1, *t*-specific mutations in, 1137
TGF-β, oligomeric structure of type I and II receptors, regulation of signaling, type I and II receptor homodimer formation, 767
Thrombospondin 2, function in cell adhesion and cell migration, 419
tht1$^+$, required for nuclear fusion, 247
Thy-1, as component of synaptic vesicles, role in regulated secretion at synapse, 685
Thylakoids, in *Chlamydomonas reinhardtii* chloroplasts, 101
Thyrocytes, cyclin-dependent kinase 4 required for proliferation of, 1427
Tight skin mice, mutant fibrillin-1 production in, abnormal microfibrils in, 1159
Tissue, NF-κB and remodeling of, 709
Tissue factor, cell adhesion mediated by, cytoplasmic domain interacts with actin-binding protein 280, and tumor cell metastasis, and vascular remodeling, 1241
Titin, extensibility in situ, 853
Toxins, retrograde transport through secretory pathway, 733
Transferrin receptor, GLUT4 sorted from, distinct endocytic pathway followed by, 565
trans-Golgi network
caveolin sorting in, 795
transport of newly synthesized proteins from, 659
trans-Golgi network residual proteins, transport in living axons, 659
Transmission ratio distortion, of mouse *t* haplotypes, flagellar dyneins in, 1137
Transport to distinct Golgi cisternae, compartment specific and ARF independent, 511
Transporter associated with antigen processing, peptide secretion dependent on, 17
Triadic proteins, in excitation–contraction coupling, 843
Triadin, targeting to junctional regions, 831
Tropoelastin, as ligand for FKBP65, folding of, 295
Tubular filaments, β-filagenin and formation of, 347
Tumor cell metastasis, novel function for tissue factor function in, 1241
Tumors, CAS/Crk assembly contributes to invasiveness of, 961
Urokinase-type plasminogen activator, role in vascular wound healing, and plasmin proteolysis, and matrix metalloproteinase proteolysis, 233
UV light, directly stimulates CD95, activates CD95 pathway to induce apoptosis, affects plasma membrane targets, 171
Vac8p, in vacuole inheritance and protein targeting, 1063
Vacuolar v–t-SNARE complex, disassembly and activation for docking and fusion, 61
Vacuole inheritance, Vac8p functions in, 1063
Vascular cell adhesion molecule-1, activated by interferon regulatory factor-2 in muscle, and leukocyte recruitment of leukocytes to sites of myogenic regeneration, expressed on satellite cells and newly forming myotubes, 1265
Vascular endothelial growth factor, induces endothelial fenestration in vitro, 947
Vascular remodeling, novel function for tissue factor function in, 1241
Vascular wound healing, role of urokinase-type plasminogen activator in, 233
Vesicular stomatitis virus G protein, targeting during myogenesis of L6 muscle cells, 1101
Vid24p, localizes to fructose-1,6-bisphosphatase–containing vesicles, regulates fructose-1,6-bisphosphatase vesicle–vacuole targeting, 1347
Virus, cholesterol requirement for fusion and exit, 91
Voltage-gated sodium channels, β-spectrin colocalizes with, mechanism for clustering of, interactions with β-spectrin and ankyrin$_G$, 675
Xenopus egg extracts, actin assembly in, 1125
Yeast
cytoplasmic microtubule orientation in, 377
spore formation in, 29
Yeast mating, pheromone-regulated genes and, 461
zVAD-fmk, apoptotic pathway independent of, 637